

Cashmore Oaklea

AUSTRALIA'S most transparent ram sale catalogue
We supply more information than anyone

SELF REPLACING MATERNALS TOP 5% SALE

ASBVs

ID
% band
Mat \$ Index
MCP+
WR
YWR
MWWT
BWT
WWT
PWT
YWT
AWT
PFAT
PEMD
YGFW
PWEC
LDAG
PSC
LE DIR
LE DAU
DRESS
LMY
IMF
SHEAR F5
MBS
ERA
LS
CON
SHEDDING EBV
CRUTCH EBV

Phenotype Information

SKIN PELT
FACE
JAW
SKIN PIG
FEET PIG
LEGS
BACK
BREECHCOV
Dam Age
SIRE
DOB
FACE COV

MATERNAL 500 RAMS
NUDIE 250 RAMS
POLL DORSET 40

MCP + Index 163-203

SALE RAMS
AVERAGE
7% BAND

3rd October 2025 - 11am, 12pm & 1pm - Auctions Plus

\$34.10 PER EWE MATED ABOVE INDUSTRY AVERAGE



John Keiller 0409 804 638

Don Pegler 0417 851 466

Email: cashmorepark@bordnet.com.au

www.cashmoreoaklea.com.au

www.cashmorepark.com.au



Sam Savin 0407 939 910



Aaron Malseed 0407 782 286



Welcome to the 2025 Cashmore Oaklea Ram Sale

VENDORS:

Cashmore Park

John and Brigita Keiller, 114 Wilmots Rd, Cashmore, VIC, 3305

Mobile: 0409 804 638

Mobile: 0418 370 365

cashmorepark@bordnet.com.au

www.cashmorepark.com.au

cashmoreram@gmail.com

Oaklea

Don Pegler and Alex Lyon, PO Box 1018, Mt Gambier, SA, 5290

Mobile: 0417 851 466

Mobile: 0408 080 0445

pegler4@bigpond.com

www.oaklea.com.au

DELIVERY: Post sale rams for SA and TAS will be available for collection at Dons and those for VIC and NSW at Johns. We will co-ordinate trucked deliveries into central areas where possible with free delivery within 200 km.

SEMEN INTERESTS: Rams sold by Cashmore Oaklea are physical ownership only. Semen may be collected by you but only used within your own flock. If the need to collect semen arises Cashmore Oaklea will do so at our expense at a time that is convenient to the owner.

HEALTH: Cashmore Oaklea commenced Gudair Vaccinations in 2003 to all sheep and rams are third generation approved vaccinates. SA requires sheep entering that state to be from tested flocks. Cashmore Park has conducted a pooled Fecal 350 test twice, tested negative and has full access to all states.

Sheep health statements are included at the back of this catalogue.

Ovine Brucellosis Free Accredited Flock # 3353

AUCTIONS PLUS will be operating on all 790 lots.

CATALOGUE ASSISTANCE: This catalogue is also listed on our websites, the Ram Select site and the Lambplan web page where you can view pedigrees and accuracies. It can also be emailed in excel or PDF format.

RAM SELECTION ASSISTANCE: For ram selection assistance please contact Don or John who will be happy to help.

RUN DATE: EBV's have been generated from the 1/9/2025 Maternal data sets.

DISCLAIMER: The information in this catalogue is true and correct to the best of our knowledge and supplied in good faith. All recommendations are made without guarantee and Cashmore Oaklea disclaim any liability in connection with the use of this information.

SALE RAMS: This year we are offering 250 Nudie, 500 Performance Maternal and 40 Poll Dorset rams all in the top percentiles for their respective breed types. Artificial insemination, embryo transfer and our expanding seedstock flock is allowing growth in supply, performance, and type.

You will notice that there are two pages of information for the maternal rams. The first has the ASBV's that make up the Maternal \$ index including extra ASBV's that are not in the index. The second has **phenotype information** that is requested from buyers on a regular basis.

REPRODUCTION ASBV's.

Lambplan reports a number of reproduction ASBV's. These consist of condition score, litter size, ewe rearing ability, conception and maternal behaviour score. These are on the right hand side of the emailed excel spread sheet.

LDAG, Late dag score

For many years we have collected Dag scores and combined with the Sheep CRC records, Lambplan provides routine across flock ASBV's for Late Dag. We look forward to providing stock with less husbandry in the future. There is a large range from -0.7 to + 0.8 this year.

SKINS

Self replacing Maternals are sometimes criticised for having skins that may not attract a premium pelt value. To create some objectivity all rams have been graded for skin type. Please see the following explanations.

- Score 1 short, dense downs type
- Score 2 fine but longer staple
- Score 3 medium X type, about what we would like to see on our ewes
- Score 4 longer, open, medium strong wool
- Score 5 open strong ropey types.

However there are few free lunches in sheep and an analysis of all the skin scored animals at Cashmore Oaklea produces the YGFW (yearling greasy fleece weight) to skin score table below.

Skin Score	YGFW %, yearling greasy fleece wt ASBV
1	-5
2	3
3	6
4	12

YGFW is expressed as a % deviation from the mean of all fleece data stored by LAMBPLAN. If we assume a Maternal ewe has a 4 kg fleece the difference between a score 1 and 4 animal is 17% of wool cut. This 680 grams of wool is valued at \$1.50 kg is worth \$1.02 in lost wool cut per ewe. Please be aware that in the chase for lamb skins we are reducing the bales of wool in the shed.

EATING QUALITY: The eating quality traits, shear force, dressing %, lean meat yield and intramuscular fat are supplied on the right hand side of the email Excel spreadsheet.

VISUAL SCORES

MLA and AWI have produced an excellent booklet titled “Visual Sheep Scores” which has a system for classifying the sheep phenotype, i.e. what it looks like. All rams have been scored and at this stage raw data is supplied. We envisage that with more data to hand we can provide this information in ASBV form which is much more powerful. To save time in the ram shed please obtain the sale catalogue in excel format and as an example, if you require dark noses, sort on SPIG, skin pigment and then just look at these in the shed. This initiative has come from you the customer so please forward feedback. Already we have found it an excellent piece of data to assist in sorting and lotting. It should be just as useful at home studying the catalogue to save time and increase purchase value on sale day.

CURVE BEND %

This information comes in the form of a simple ratio and we stress that it is not an ASBV. Don and I sometimes field comments that sheep are getting too large and heavy, however we have found very few clients are actually using the adult weight ASBV to make their sheep smaller! There is a current attempt by breeders to bend the growth curve downward which simply means a sheep grows fast to a required weight/stage of life then growth slows so it does not become large with high maintenance requirements in later life. It is somewhat hard looking at the difference between Post weaning weight and Adult weight and judging the growth curve of an animal. To assist this the ratio allows us to see that a 50 % percentile PWWT animal is 12 and at Adult 12.6. The animal adds 9 % to its PWWT weight EBV to get to its Adult weight. Animals below this number exhibit a slowing growth curve after post weaning stage. Our better animals have high early growth and a moderate ewe weight.

LAMBING EASE DIRECT AND DAUGHTERS

Lambing ease direct and lamb ease daughters ASBVs are also offered. Please read the explanations in the back of the catalogue. We continue to make gains in this area with our ewes being very easy lambing.

PERFORMANCE RECORDING COMPOSITES: WHY DO WE USE THEM?

Cashmore Oaklea Composites are based on sound genetic and economic principles. First and foremost they are performance recorded which is our guarantee that the genes we supply to you will improve each year. In the past 5 years, this has averaged 4.64 index points per year. Our second goal is to make the animals as composite as possible, resulting in hybrid vigor, or heterosis. Heterosis produces a level of performance above the average of the base parents. It comes at no cost, and has a larger effect on fitness or female related traits, such as number of lambs weaned and milk yield. In these traits the increase can be as high as 12 % while in growth and carcass traits it may be 8 %. At these levels it adds substantially to the performance of the animal and farm profits. The reason we run composites is to quickly access and multiply up new genes that may be required if market specifications change. A good example of this is value based lamb payment systems requiring better muscled carcasses. If you are a pure breeder you need to search within your breed to find better muscled animals. As composite breeders Cashmore Oaklea simply acquires these genes from elsewhere and multiplies them through our flocks. This open approach allows us, as the seedstock breeder, to find genes and deliver them to you, our clients, much faster.

MATERNAL COMPOSITES: We continue to source genes from other maternal breeders and from the best families from the following breeds, Coopworth, East Friesian, Finn, Border Leicester, South African Meat Merino, Texel, Poll Dorset, White Suffolk, Merino, Corridale, NZ Romney and Perendale. All have been identified from Lambplan ASBV's and New Zealand's sheep improvement program. These genes have been used by AI and ET after using the MATESEL computer program to allocate matings. This has resulted in more accurate ASBV's and faster use of the best new genes in the program.

EARLY LAMBING FLOCKS i.e. (April - May) This is a requirement where the seasonal pattern of pasture growth is earlier and growing season shorter than that experienced in higher rainfall southern areas. Early lambing may require a percentage of "pink nose" in the mix as these breeds show a wider breeding season. You may also select rams from either flock that have an early date of birth, DOB.

NUDIES In 2003 we commenced breeding self replacing easy care sheep with wool shedding ability, high parasite resistance and tough feet. Our aim is to have sheep with similar characteristics to our Maternals with the benefits of no wool. Grading sheep up from our maternal flock to increase genetic diversity and add greater performance has increased ewe numbers to 3000. Only the best rams are offered each year with attention to type and structure slowing performance a little but ensuring a robust animal comes out of the program. The Nudies are run with all the other seedstock in the same contemporary groups so we get a valid performance comparison.

HOW TO USE THIS CATALOGUE

Ear tag number

Oaklea Maternal	1 to 1999
Cashmore Maternal	2001 to 5429
Cashmore Nudie	7028 to 9875
Cashmore Terminal	6214 to 6680

FLK O = Oaklea, CP = Cashmore Park

ID Rams are identified with 4 digit Lambplan codes that will allow you to obtain updates on EBV's at any stage in the animal's life. Add 150099202022 to maternal rams, CS0001202022 to Nudie and 2350032022....terminals.

INDEX Calculated from some ASBV's and market returns for meat, wool and extra lambs it gives an estimated value of the animals performance.
For each Maternal Carcass Plus point returns \$1 per ewe mated per year.

PERCENTILE BAND %

50% value is where there are equal numbers of animals above and below this point

EBV's These are the actual genetic differences between animals and are expressed in the units for that trait. The base year is 1990 when the 50% decile was 0.0 for all EBV's

WR Weaning Rate describes the genetic difference between animals for the number of lambs weaned per ewe joined, as an adult. WR is expressed as number of lambs.

YWR	Weaning Rate for a one year old ewe.
MWWT	Maternal weaning weight (Kg) (milk), The ability of the ewe to feed and care for the lamb above its own growth genes.
BWT	Birth weight (Kg) . Use negative or low figures for maiden ewes.
WWT	Weaning weight at 100 days.(Kg) Fast early growth. Keep this high for lambs suckers sold directly off ewes.
PWWT	Post weaning weight at 225 days. (Kg) A ram with 5 kg PWWT will be 5 kg heavier at eight months of age.
YWT	Yearling weight at 365 days. (Kg) Used for heavy export lambs grown over a longer period of time.
AWT	Adult weight at 2 years. (Kg) To reduce mature weight in ewes look for a lower figure here.
PFAT	Post weaning fat depth at 225 days (mm) Check lamb kill sheets to decide if you need to alter fat levels.
PEMD	Post weaning eye muscle depth at 225 days (mm)
YGFW	Yearling greasy fleece weight. Expressed as a %. Increase this for more wool weight.
PFEC	Post weaning faecal worm egg count, expressed as a %, the more negative the more tolerant/resistant to worms.
LDAG	Late Dag score with lower better. A ram with a minus one is one dag score less than breed average in year 2000.
PSC	Post weaning scrotal circumference. (cm) Rams with large testes have daughters with earlier puberty that also have more lambs.
LE-DIR	Lambing ease direct, expressed as a %, This is the rams genetic ability to produce easily born lambs with a positive number desirable.
LE-DAU	Lambing ease daughters, expressed as a %, This is a rams ability to produce daughters that lamb easily with a positive number desirable.
CON, YCON , Conception, Did the ewe conceive? Sires with higher CON will produce daughters which have a higher conception rate.	
LS, YLS Litter Size, How many lambs were born? Sires with higher LS will produce daughters that give birth to more lambs.	
ERA, YERA , Ewe rearing ability: How successfully did the ewe rear her litter? Sires with higher ERA will produce daughters which rear more of their litter.	

MBS, Maternal behaviour score. How far the ewe moves from the birth site when lambs are being tagged. Sires with lower MBS produce daughters that have better maternal behaviour, as they stay close to their lambs during the first 24 hours of life.

PHENOTYPE INFORMATION

PELT/SKIN Score 1 short staple, dense and fine
 Score 2 some length, open and fine
 Score 3 medium X bred
 Score 4 longer staple, open type
 Score 5 long, open, strong wool

FACE Score 1 no wool on head or cheek
 Score 3 open face

SPIG Skin Pigment
 Score 1 = pink, Score 5 = black

FEET PIG Score 1 = pink, Score 5 = black

LEGS/FEET Score 1 straight and square
 Score 3 some significant angulation

BACK/SHOULDER
 Score 1 straight topline, well set in shoulders
 Score 3 high or low shoulders, hump / sag top line

BREECH COVER, EBCOV is the breeding value
 Score 1 bare Score 3 medium

DAM AGE Age in years

CURVE BEND % Change between Post weaning weight and Adult weight.

SHEDDING SCORE
 Score 1 clean shedding,
 Score 2 narrow saddle on back
 Score 3 half wool saddle on back

Wool Shedding RBV incorporating Genomics, minus is stronger wool shedding.
Crutch Shedding RBV incorporating Genomics, minus is stronger crutch shedding.

NAM SIRES A named syndicate sire group where more than one sire is present.

We wish you all the best with your purchases. *The Cashmore Oaklea Team.*

LOT	ID	Flk	DOB	%	MCP+	Milk		WWT	PWWT	YWT	AWT	PFAT	PEMD	YGFW	PFEC	LDAG	LE					
						YWR	MWWT										DIR	DAU				
1	241527	O	24/09/2024	5	203	0.46	0.75	0.8	0.69	11.4	18.7	19.7	19.2	-0.4	3.2	4	-66	0.0	6.5	-1	-4	1
2	240571	O	06/07/2024	5	199	0.41	0.73	0.3	0.44	10.8	16.9	17.7	15.9	0.0	3.4	1	-51	-0.2	7.3	-1	-1	2
3	241082	O	26/08/2024	5	194	0.43	0.77	-0.6	0.47	11.3	17.8	19.5	19.2	-0.8	3.2	-2	-58	0.3	6.6	-1	-2	3
4	241150	O	31/08/2024	5	188	0.52	0.75	-0.6	0.76	10.8	16.7	19.0	19.1	-0.8	1.8	-1	-64	0.5	5.5	0	-1	4
5	241108	O	28/08/2024	5	193	0.50	0.75	1.2	0.81	13.0	19.7	21.1	22.0	-1.0	1.0	-4	-59	0.2	6.0	-1	-2	5
6	241059	O	25/08/2024	5	184	0.48	0.80	0.2	0.62	12.0	19.0	21.8	24.3	-1.3	1.3	11	-28	0.5	6.1	-1	-1	6
7	241171	O	01/09/2024	5	196	0.48	0.74	0.6	0.76	13.1	20.8	22.0	22.6	-1.9	1.5	11	-37	0.3	7.3	-1	-1	7
8	241328	O	11/09/2024	5	200	0.48	0.77	1.5	0.68	11.5	17.5	17.4	17.5	-1.1	2.2	1	-63	0.2	5.4	-1	-2	8
9	241274	O	08/09/2024	5	203	0.47	0.90	0.6	0.49	11.6	19.0	20.0	19.2	-0.4	2.5	-2	-68	0.1	6.8	-1	-2	9
10	241144	O	30/08/2024	5	191	0.46	0.75	0.6	0.70	13.1	19.4	20.6	22.3	-1.5	1.7	11	-25	0.2	6.8	-1	-1	10
11	241024	O	23/08/2024	5	197	0.42	0.85	-0.8	0.58	12.6	19.9	21.4	19.8	0.0	2.3	16	-28	0.1	6.5	0	-1	11
12	241083	O	26/08/2024	5	190	0.42	0.80	-1.3	0.60	10.8	17.9	19.7	19.0	-0.4	2.8	-9	-66	0.2	6.9	-1	-2	12
13	241087	O	27/08/2024	5	190	0.42	0.78	-0.1	0.50	13.8	21.0	22.9	23.2	-0.6	1.7	-6	-33	0.0	7.1	-1	-3	13
14	241179	O	02/09/2024	5	185	0.42	0.67	-0.4	0.74	11.2	18.0	19.9	19.7	-2.1	1.8	2	-56	0.1	6.2	0	-1	14
15	240180	O	03/07/2024	5	181	0.41	0.68	-0.7	0.67	11.9	18.0	19.6	19.9	-1.5	1.4	-7	-68	0.4	5.9	0	-1	15
16	241091	O	27/08/2024	5	187	0.41	0.74	-0.7	0.52	11.0	17.6	19.5	18.2	-1.1	2.1	-7	-50	0.2	6.2	0	-2	16
17	241364	O	13/09/2024	5	192	0.41	0.71	1.3	0.59	12.3	19.0	19.8	22.5	-0.5	2.4	10	-66	0.3	5.4	-1	-3	17
18	240914	O	10/08/2024	5	192	0.40	0.84	-1.0	0.49	12.5	19.2	19.7	19.7	-0.4	2.3	-2	-53	0.0	6.7	0	-1	18
19	240428	O	05/07/2024	5	187	0.39	0.70	-0.6	0.82	12.2	18.6	20.6	18.6	-0.8	1.9	-5	-45	0.2	7.0	-2	-1	19
20	240455	O	05/07/2024	5	191	0.39	0.69	0.5	0.63	11.9	18.4	20.0	19.1	-1.6	1.9	10	-71	-0.1	7.2	-1	-2	20
21	240994	O	17/08/2024	5	192	0.39	0.69	0.0	0.62	12.3	19.2	19.7	20.5	-0.4	2.8	18	-8	0.0	6.6	-1	-3	21
22	241115	O	28/08/2024	5	189	0.39	0.74	0.4	0.72	11.3	18.4	20.3	19.2	-0.8	2.0	-3	-60	0.5	6.6	-3	-4	22
23	241044	O	24/08/2024	5	190	0.38	0.85	-0.1	0.60	13.1	19.8	21.1	20.3	-1.6	1.6	11	-27	0.1	7.8	-1	-3	23
24	241124	O	28/08/2024	5	190	0.38	0.70	-0.1	0.91	13.3	20.3	21.2	21.9	-0.8	2.0	0	-62	0.3	6.3	-2	-2	24
25	241090	O	27/08/2024	5	183	0.40	0.70	-0.5	0.41	10.9	17.1	17.8	20.2	-0.3	2.3	5	-59	0.2	5.5	-1	-1	25

Todays rams average

Maternal percentile average

Top 5% yellow, top 10% grey, top 30 % bold type.

7	184.2	0.35	0.66	-0.1	0.5	10.7	16.9	18.0	17.6	-0.4	2.5	-1	-55	0.1	5.8	0	-1
50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1

page 7			REPRODUCTION TRAITS						PHENOTYPE ADDITIONAL INFORMATION AS RAW DATA											
LOT	Purchaser	Price	Conception		Litter Size		Rearing Ability			PELT	FACE	JAW	NOSE		Breech	Dam	Curve			
			CON	YCON	LS	YLS	ERA	YERA	MBS				PIG	PIG				LEGS	BACK	COV
1			0.06	0.43	0.52	0.51	0.00	0.04	-0.3	1	1	1	4	3	1	1	3%			
2			0.07	0.43	0.38	0.44	0.02	0.05	-0.3	2	1	1	4	4	1	2	-6%			
3			0.07	0.48	0.41	0.41	0.01	0.06	-0.2	2	1	1	1	3	1	3	8%			
4			0.06	0.40	0.66	0.61	-0.02	0.03	-0.3	2	2	1	2	2	1	3	15%			
5			0.06	0.42	0.55	0.51	0.00	0.06	-0.3	2	2	1	3	4	1	2	11%			
6			0.07	0.45	0.59	0.50	-0.02	0.06	-0.2	2	1	1	2	4	1	3	28%			
7			0.06	0.41	0.54	0.54	0.00	0.04	-0.3	2	2	1	4	4	1	1	8%			
8			0.06	0.41	0.57	0.54	0.00	0.06	-0.2	2	2	1	4	4	1	2	0%			
9			0.07	0.51	0.53	0.54	-0.01	0.06	-0.4	1	1	1	3	4	1	2	1%			
10			0.07	0.44	0.55	0.49	-0.02	0.04	-0.3	2	2	1	3	3	1	3	15%			
11			0.07	0.50	0.38	0.43	0.02	0.08	-0.4	1	2	1	3	3	1	2	0%			
12			0.07	0.48	0.45	0.45	0.00	0.05	-0.3	1	2	1	3	3	1	3	6%			
13			0.05	0.43	0.44	0.48	0.01	0.08	-0.2	2	2	1	2	3	1	2	11%			
14			0.06	0.40	0.44	0.43	0.01	0.04	-0.3	3	2	1	5	5	1	3	9%			
15			0.05	0.37	0.52	0.48	-0.01	0.05	-0.3	1	1	1	2	3	1	3	11%			
16			0.06	0.44	0.43	0.44	0.00	0.06	-0.3	2	2	1	3	4	1	2	3%			
17			0.06	0.43	0.42	0.40	0.01	0.04	-0.2	2	2	1	1	2	1	3	19%			
18			0.06	0.49	0.43	0.44	0.00	0.08	-0.3	2	2	1	4	5	1	2	2%			
19			0.05	0.38	0.39	0.44	0.01	0.07	-0.2	3	1	1	3	4	1	3	0%			
20			0.06	0.40	0.44	0.46	-0.01	0.03	-0.2	2	1	1	4	5	1	1	4%			
21			0.07	0.43	0.38	0.36	0.01	0.06	-0.2	1	1	1	3	4	1	2	7%			
22			0.04	0.41	0.43	0.49	0.01	0.06	-0.5	1	2	1	2	2	1	3	4%			
23			0.06	0.49	0.38	0.42	0.01	0.10	-0.2	2	2	1	2	3	1	1	2%			
24			0.04	0.38	0.47	0.45	-0.01	0.08	-0.2	2	2	1	4	5	1	2	8%			
25			0.06	0.44	0.42	0.35	0.01	0.06	-0.1	2	2	1	4	5	1	3	18%			

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

LOT	ID	Flk	DOB	%	MCP+	WR	YWR	Milk		WWT	PWWT	YWT	AWT	PFAT	PEMD	YGFW	PFEC	LDAG	LE		LOT
								MWWT	BWT										DIR	PSC	
26	242692	CP	13/08/2024	5	193	0.50	0.95	-1.8	0.11	9.1	14.7	16.1	15.4	0.5	3.2	-9	-82	-0.2	6.3		26
27	243186	CP	17/08/2024	5	192	0.46	0.86	-1.1	0.34	9.9	15.3	16.7	16.5	0.4	3.0	2	-80	0.2	6.1	1	27
28	243562	CP	24/08/2024	5	190	0.46	0.79	-1.6	0.30	10.6	15.9	17.9	18.5	-0.4	3.0	5	-94	0.2	6.6	2	28
29	243966	CP	29/08/2024	5	196	0.46	0.96	-0.9	0.27	8.6	14.7	16.3	14.3	1.0	3.3	-1	-76	-0.1	6.0	2	29
30	242712	CP	15/08/2024	5	187	0.45	0.82	-1.6	0.05	7.3	13.3	14.6	13.5	0.6	3.3	-12	-86	0.3	5.4	2	30
31	243062	CP	19/08/2024	5	192	0.45	0.83	-1.5	0.34	9.5	16.5	18.1	18.3	0.7	3.3	5	-82	0.1	6.6	1	31
32	243070	CP	18/08/2024	5	193	0.45	0.89	0.3	0.07	7.7	12.8	12.9	12.8	0.8	3.3	-2	-89	0.3	5.0	2	32
33	243787	CP	16/09/2024	5	199	0.45	0.94	-0.6	0.39	10.9	16.8	17.5	16.8	0.7	3.0	-1	-82	0.4	5.8	1	33
34	242399	CP	13/08/2024	5	192	0.44	0.90	-1.2	0.30	8.1	12.7	13.2	11.3	1.0	3.4	2	-76	-0.2	4.8		34
35	242852	CP	13/08/2024	5	192	0.44	0.90	-0.6	0.16	8.2	13.6	14.5	14.3	1.2	3.6	-2	-72	0.0	5.8	2	35
36	242851	CP	13/08/2024	5	193	0.43	0.89	-0.6	0.24	8.9	14.5	14.2	14.1	0.5	3.2	-2	-72	-0.2	5.9	2	36
37	243132	CP	16/08/2024	5	183	0.42	0.84	-2.5	0.24	7.6	13.5	14.2	13.8	0.6	3.1	-3	-72	-0.2	5.6	2	37
38	243931	CP	27/08/2024	5	192	0.42	0.68	0.0	0.19	5.9	11.6	11.0	8.8	1.1	4.0	-10	-81	0.3	4.1	0	38
39	242765	CP	19/08/2024	5	202	0.41	0.83	0.4	0.30	12.5	18.4	18.4	17.8	0.5	2.9	9	-78	-0.1	6.9	2	39
40	243295	CP	20/08/2024	5	187	0.40	0.82	-1.5	0.18	8.7	14.9	17.1	15.2	0.8	3.1	-7	-83	0.5	6.2	2	40
41	244107	CP	03/09/2024	5	184	0.40	0.77	-0.6	0.35	8.7	14.3	16.8	15.9	0.4	3.0	-4	-79	0.1	5.5	1	41
42	242281	CP	12/08/2024	5	186	0.39	0.76	-1.2	0.14	9.4	16.0	18.7	18.4	0.5	3.2	7	-83	0.3	6.7	2	42
43	243213	CP	18/08/2024	5	185	0.39	0.76	-1.4	0.27	8.8	14.7	16.2	16.7	-0.4	3.4	1	-94	0.1	5.2	2	43
44	243276	CP	20/08/2024	5	184	0.39	0.81	-1.5	0.21	8.7	15.2	16.9	16.9	0.5	2.9	-2	-87	-0.2	5.9	2	44
45	244220	CP	24/09/2024	5	193	0.38	0.71	-0.2	0.26	10.9	16.7	16.8	16.2	-0.9	3.1	-8	-88	-0.1	5.6	2	45
46	242684	CP	13/08/2024	5	194	0.37	0.71	1.2	0.16	8.3	14.0	16.0	13.6	1.2	4.0	-7	-85	0.5	5.0	2	46
47	244237	CP	25/09/2024	5	190	0.37	0.72	-0.3	0.29	10.0	16.5	15.8	16.2	-0.4	3.0	-12	-77	0.3	5.4	1	47
48	243452	CP	22/08/2024	5	185	0.36	0.74	-0.8	0.13	7.1	12.2	13.8	10.6	1.0	3.3	-2	-89	0.2	4.5	1	48
49	243732	CP	29/08/2024	5	188	0.36	0.67	0.9	0.11	6.7	12.5	13.5	12.3	0.4	3.9	-3	-84	-0.1	5.2	1	49
50	243517	CP	23/08/2024	5	186	0.36	0.76	-1.5	0.30	9.8	16.3	17.1	15.8	0.1	2.9	-4	-74	0.3	6.1	2	50

Todays rams average

Maternal percentile average

Top 5% yellow, top 10% grey, top 30 % bold type.

7	184.2	0.35	0.66	-0.1	0.5	10.7	16.9	18.0	17.6	-0.4	2.5	-1	-55	0.1	5.8	0	-1
50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1

page 9			REPRODUCTION TRAITS							PHENOTYPE										
			ADDITIONAL INFORMATION AS RAW DATA																	
LOT	Purchaser	Price	Conception		Litter Size		Rearing Ability			PELT	FACE	JAW	NOSE		LEGS	BACK	Breech	Dam	Curve	
			CON	YCON	LS	YLS	ERA	YERA	MBS				SKIN	COV						PIG
26			0.06	0.51	0.57	0.56	0.01	0.10	-0.2	3	2	2	5	5	1	1	3	2	5%	
27			0.05	0.47	0.53	0.51	0.01	0.09	0.1	2	1	2	5	5	2	1	2	2	8%	
28			0.05	0.42	0.52	0.53	0.01	0.07	-0.3	2	3	2	5	1	1	1	4	2	16%	
29			0.06	0.54	0.47	0.49	0.02	0.10	0.1	3	2	1	5	4	1	1	5	2	-3%	
30			0.05	0.44	0.47	0.49	0.02	0.09	-0.1	3	1	1	4	1	2	2	4	2	2%	
31			0.06	0.48	0.47	0.45	0.01	0.08	0.0	2	2	1	1	5	1	1	3	2	11%	
32			0.05	0.46	0.42	0.46	0.04	0.14	0.0	3	2	1	5	4	1	1	5	2	0%	
33			0.06	0.51	0.45	0.51	0.02	0.10	-0.2	3	2	2	5	3	1	1	4	1	0%	
34			0.05	0.48	0.49	0.51	0.01	0.11	-0.3	2	3	2	5	4	2	2	5	2	-11%	
35			0.05	0.49	0.48	0.50	0.02	0.09	-0.1	2	2	2	5	4	2	1	5	2	5%	
36			0.04	0.49	0.49	0.51	0.01	0.10	-0.1	2	3	2	5	5	2	1	4	2	-3%	
37			0.04	0.46	0.49	0.50	0.01	0.09	0.0	2	2	1	5	5	2	2	4	2	2%	
38			0.07	0.39	0.37	0.40	0.02	0.07	-0.2	2	2	1	5	5	1	1	3	2	-24%	
39			0.04	0.46	0.44	0.44	0.02	0.10	-0.1	2	2	1	5	5	1	1	5	4	-3%	
40			0.04	0.45	0.42	0.45	0.02	0.11	0.0	2	3	1	5	3	1	1	3	3	2%	
41			0.05	0.41	0.43	0.46	0.01	0.09	-0.1	2	1	1	4	5	2	1	5	2	11%	
42			0.05	0.44	0.40	0.40	0.01	0.09	0.0	3	1	1	5	5	1	1	3	2	15%	
43			0.05	0.42	0.37	0.39	0.02	0.12	0.0	3	1	1	5	3	2	1	3	3	13%	
44			0.05	0.46	0.37	0.42	0.02	0.10	0.0	2	2	2	3	4	2	2	3	2	11%	
45			0.07	0.44	0.36	0.32	0.01	0.08	-0.1	2	3	1	3	5	2	1	5	1	-3%	
46			0.06	0.42	0.31	0.35	0.04	0.09	-0.1	2	2	1	3	4	1	1	2	3	-3%	
47			0.05	0.44	0.41	0.36	0.00	0.07	-0.2	2	3	1	3	5	2	2	4	1	-2%	
48			0.07	0.45	0.29	0.34	0.03	0.09	-0.3	3	3	1	5	4	1	1	4	1	-13%	
49			0.05	0.38	0.34	0.37	0.02	0.08	0.0	2	1	1	5	4	2	2	3	2	-1%	
50			0.05	0.46	0.32	0.34	0.02	0.10	-0.1	3	3	1	5	4	2	2	5	3	-3%	

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

LOT	ID	Flk	DOB	%	MCP+	WR	YWR	Milk		BWT	WWT	PWWT	YWT	AWT	PFAT	PEMD	YGFW	LDAG	PSC	LE	LE	DAU	LOT
								MWWT															
51	241132	O	29/08/2024	5	186	0.37	0.76	2.0	0.56	13.1	20.7	23.1	23.5	23.5	-1.0	1.0	-4	-40	-0.1	6.8	-2	-5	51
52	241255	O	07/09/2024	10	180	0.38	0.71	-0.4	0.84	13.4	20.1	23.1	22.9	22.9	-1.2	0.8	-5	-65	-0.2	7.6	-1	-2	52
53	241379	O	14/09/2024	10	178	0.41	0.67	-0.2	1.07	13.3	19.3	20.1	22.1	22.1	-2.7	0.4	-10	-62	0.2	6.2	-1	-2	53
54	241039	O	24/08/2024	5	184	0.36	0.69	0.6	0.46	12.3	19.3	19.9	20.9	20.9	-1.0	1.9	-3	-21	0.2	5.4	1	-2	54
55	241407	O	16/09/2024	5	196	0.39	0.83	-0.4	0.40	11.1	18.3	18.8	17.8	17.8	0.3	2.9	-2	-62	-0.3	7.2	-1	-1	55
56	241457	O	19/09/2024	5	182	0.43	0.70	-0.6	0.49	11.2	18.0	20.7	19.6	19.6	-1.1	1.6	-17	-42	0.2	5.8	-2	-1	56
57	241351	O	13/09/2024	5	183	0.37	0.71	1.6	0.67	11.7	17.9	19.6	19.0	19.0	-1.5	1.3	-6	-43	0.2	5.9	0	-2	57
58	241008	O	21/08/2024	20	174	0.38	0.69	-1.8	0.66	11.8	17.8	20.4	20.8	20.8	-0.3	1.4	0	-58	0.2	5.8	-1	-2	58
59	240499	O	06/07/2024	20	174	0.38	0.78	-1.3	0.57	11.1	17.8	19.2	21.0	21.0	0.1	1.4	-9	-52	0.0	6.8	0	-1	59
60	241383	O	14/09/2024	5	190	0.40	0.70	0.7	0.67	11.0	17.3	18.2	15.5	15.5	-0.6	1.7	-3	-44	-0.1	6.6	0	-3	60
61	240507	O	06/07/2024	5	183	0.38	0.72	0.3	0.63	10.7	17.2	18.5	18.8	18.8	-1.0	1.9	-2	-61	0.4	5.9	0	-1	61
62	240849	O	24/07/2024	5	184	0.37	0.67	-0.8	0.57	11.4	17.2	17.6	17.3	17.3	-1.7	2.2	3	-49	0.0	5.8	0	0	62
63	241329	O	11/09/2024	5	192	0.44	0.70	1.1	0.72	11.0	17.0	17.9	17.6	17.6	-1.1	2.2	0	-45	0.1	5.4	-1	-2	63
64	241349	O	12/09/2024	5	193	0.38	0.62	0.5	0.69	14.2	20.9	22.0	21.9	21.9	-1.7	2.1	4	-33	-0.1	7.4	-1	-3	64
65	241203	O	04/09/2024	5	185	0.39	0.64	-0.5	0.72	13.0	20.8	21.1	23.2	23.2	-1.2	1.8	-11	-43	0.1	6.8	0	-3	65
66	241396	O	16/09/2024	5	181	0.36	0.65	0.5	0.73	12.5	19.3	20.5	22.9	22.9	-0.7	2.1	-5	-26	0.1	6.1	-2	-3	66
67	240423	O	05/07/2024	5	182	0.42	0.64	0.5	0.57	11.2	18.0	20.1	20.6	20.6	-1.9	1.6	-3	-53	0.5	6.3	0	-1	67
68	241043	O	24/08/2024	20	175	0.37	0.66	-0.1	0.55	11.0	18.0	21.3	22.7	22.7	-0.9	1.4	6	-58	0.3	4.9	-2	-3	68
69	240970	O	12/08/2024	10	180	0.36	0.64	0.0	0.46	11.5	17.5	19.2	18.5	18.5	-1.6	1.7	4	-23	-0.2	5.4	-1	-2	69
70	241344	O	12/09/2024	5	185	0.41	0.66	1.0	0.60	10.5	17.2	19.0	20.2	20.2	-0.8	2.5	-9	-53	0.2	5.2	-1	-2	70
71	241062	O	26/08/2024	10	178	0.41	0.66	-0.7	0.46	10.7	17.0	18.9	18.9	18.9	-1.2	1.5	-5	-40	0.2	5.0	1	-1	71
72	240057	O	30/06/2024	5	192	0.39	0.65	-0.1	0.53	11.1	17.0	17.6	16.1	16.1	-1.0	2.2	15	-76	-0.2	6.4	-1	-1	72
73	240805	O	22/07/2024	20	176	0.38	0.63	-0.4	0.51	10.9	17.0	18.6	18.3	18.3	-1.4	1.2	-6	-49	0.0	6.2	1	0	73
74	240222	O	03/07/2024	5	194	0.37	0.70	0.3	0.48	10.6	16.8	16.6	14.5	14.5	-0.8	2.8	4	-53	-0.3	6.5	-1	-1	74
75	240458	O	05/07/2024	5	181	0.37	0.65	0.7	0.73	10.8	16.9	18.3	19.5	19.5	0.1	2.1	-6	-60	0.1	5.9	-1	-3	75

Todays rams average

Maternal percentile average

Top 5% yellow, top 10% grey, top 30 % bold type.

7	184.2	0.35	0.66	-0.1	0.5	10.7	16.9	18.0	17.6	-0.4	2.5	-1	-55	0.1	5.8	0	-1
50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1

REPRODUCTION TRAITS										PHENOTYPE									
LOT	Purchaser	Price	Conception		Litter Size		Rearing Ability			MBS	PELT	FACE	JAW	NOSE		Breech	Dam	Curve	LOT
			CON	YCON	LS	YLS	ERA	YERA	YERA					LEG	FEET		Age	BEND	
51			0.05	0.44	0.40	0.43	0.00	0.08	-0.4	1	1	1	1	4	5	2	1	14%	51
52			0.04	0.41	0.48	0.47	-0.02	0.04	-0.3	1	2	2	1	5	5	2	1	14%	52
53			0.04	0.37	0.51	0.50	-0.01	0.04	-0.4	1	2	2	1	4	3	3	1	15%	53
54			0.06	0.42	0.39	0.39	0.00	0.05	-0.3	2	2	2	1	3	3	3	1	9%	54
55			0.07	0.52	0.38	0.44	0.01	0.05	-0.3	1	1	1	1	5	5	1	1	-3%	55
56			0.06	0.38	0.58	0.58	-0.04	0.02	-0.6	1	1	1	1	2	3	3	1	9%	56
57			0.04	0.40	0.36	0.40	0.03	0.08	-0.2	2	2	2	1	2	3	3	1	6%	57
58			0.06	0.40	0.42	0.42	0.00	0.06	-0.3	2	1	1	1	4	5	3	1	17%	58
59			0.04	0.45	0.41	0.43	0.01	0.08	-0.2	2	1	1	1	2	2	1	3	18%	59
60			0.06	0.40	0.37	0.43	0.02	0.06	-0.3	2	2	2	1	3	3	3	1	-10%	60
61			0.06	0.44	0.40	0.38	0.00	0.06	-0.4	2	1	1	1	3	3	2	3	9%	61
62			0.05	0.37	0.39	0.43	0.00	0.08	-0.3	3	3	3	1	4	5	3	4	1%	62
63			0.06	0.39	0.53	0.50	-0.01	0.04	-0.2	2	2	2	1	3	4	3	1	3%	63
64			0.06	0.36	0.44	0.43	-0.01	0.03	-0.3	2	2	2	1	3	3	2	1	5%	64
65			0.04	0.37	0.51	0.50	-0.02	0.01	-0.3	1	2	2	1	4	4	1	1	11%	65
66			0.06	0.41	0.36	0.33	0.01	0.06	-0.2	1	2	2	1	1	2	2	1	18%	66
67			0.05	0.34	0.49	0.48	-0.01	0.05	-0.3	1	1	1	1	2	3	3	3	14%	67
68			0.06	0.41	0.38	0.36	0.00	0.06	-0.3	1	2	2	1	4	5	3	1	26%	68
69			0.03	0.32	0.44	0.47	-0.01	0.07	-0.3	1	2	2	1	4	5	3	2	6%	69
70			0.05	0.38	0.43	0.42	0.01	0.06	-0.3	2	1	1	1	3	2	2	1	17%	70
71			0.05	0.37	0.49	0.47	0.00	0.04	-0.2	2	1	1	1	2	2	2	1	11%	71
72			0.05	0.38	0.39	0.43	0.01	0.05	-0.3	3	2	2	1	2	3	2	3	-5%	72
73			0.04	0.34	0.44	0.45	0.00	0.06	-0.2	2	2	2	1	4	5	2	4	7%	73
74			0.05	0.41	0.37	0.42	0.01	0.06	-0.3	1	1	1	1	2	3	3	2	-13%	74
75			0.05	0.41	0.40	0.38	0.00	0.04	-0.3	1	1	1	1	4	5	2	3	15%	75

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

7	184.2	0.35	0.66	-0.1	0.5	10.7	16.9	18.0	17.6	-0.4	2.5	-1	-55	0.1	5.8	0	-1
50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1
Today's rams average																	
Maternal percentile average																	

Top 5% yellow, top 10% grey, top 30 % bold type.

page 13			REPRODUCTION TRAITS							PHENOTYPE										
			Conception			Litter Size		Rearing Ability		PELT	FACE	JAW	NOSE		FEET	BACK	Breech		Dam	Curve
LOT	Purchaser	Price	CON	YCON	LS	YLS	ERA	YERA	MBS				SKIN	COV			PIG	PIG		
76			0.06	0.45	0.43	0.37	0.00	0.08	-0.2	2	2	1	5	3	2	1	3	3	16%	
77			0.04	0.41	0.39	0.45	0.02	0.10	-0.1	2	3	2	5	5	2	1	4	3	16%	
78			0.05	0.48	0.40	0.38	0.01	0.09	-0.1	2	1	1	5	4	1	1	4	1	-4%	
79			0.04	0.37	0.40	0.43	0.01	0.07	-0.2	2	3	2	5	5	3	1	4	1	24%	
80			0.06	0.42	0.43	0.38	-0.01	0.06	-0.3	3	3	1	4	3	2	2	5	2	14%	
81			0.05	0.46	0.31	0.37	0.03	0.08	-0.2	2	2	1	5	5	1	1	4	1	9%	
82			0.04	0.43	0.41	0.41	0.00	0.08	0.1	1	3	1	5	5	2	2	5	2	27%	
83			0.05	0.41	0.34	0.38	0.02	0.10	-0.1	3	2	1	5	4	2	2	4	1	16%	
84			0.04	0.44	0.50	0.50	0.00	0.09	-0.1	2	1	1	5	4	2	1	3	1	2%	
85			0.04	0.41	0.50	0.55	0.01	0.11	-0.1	2	2	1	5	4	1	1	3	3	16%	
86			0.03	0.35	0.40	0.46	0.02	0.09	-0.2	2	3	1	1	5	1	1	3	1	11%	
87			0.05	0.41	0.37	0.40	0.01	0.09	-0.1	2	2	1	5	5	1	1	3	2	13%	
88			0.06	0.50	0.38	0.35	0.01	0.09	-0.2	3	3	1	4	4	2	3	5	1	-17%	
89			0.06	0.50	0.35	0.31	0.02	0.07	0.0	2	2	1	3	5	2	1	5	1	3%	
90			0.07	0.41	0.46	0.49	0.01	0.06	-0.3	2	2	1	5	5	1	1	5	2	22%	
91			0.05	0.40	0.41	0.45	0.01	0.07	-0.3	2	3	1	2	3	2	2	5	1	22%	
92			0.04	0.47	0.46	0.44	0.01	0.06	-0.1	2	1	2	2	5	2	2	4	1	6%	
93			0.06	0.37	0.38	0.38	0.01	0.05	-0.2	2	2	2	4	4	2	1	1	1	17%	
94			0.05	0.46	0.47	0.38	-0.01	0.05	0.0	3	2	3	5	5	2	2	5	3	-11%	
95			0.05	0.46	0.39	0.40	0.01	0.08	0.0	3	3	1	4	5	2	1	5	3	-1%	
96			0.04	0.43	0.48	0.48	0.01	0.10	0.0	3	2	1	3	5	2	1	3	2	9%	
97			0.05	0.41	0.36	0.33	0.01	0.08	-0.1	2	3	1	5	2	2	1	5	1	-5%	
98			0.05	0.41	0.35	0.36	0.01	0.09	-0.1	3	3	1	5	4	2	2	5	2	-11%	
99			0.06	0.41	0.32	0.33	0.01	0.08	-0.2	3	3	1	5	5	2	2	5	2	-4%	
100			0.05	0.41	0.34	0.38	0.02	0.08	-0.2	2	3	1	3	4	2	2	5	1	14%	

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 15			REPRODUCTION TRAITS										PHENOTYPE									
			ADDITIONAL INFORMATION AS RAW DATA																			
			Conception		Litter Size		Rearing Ability			PELT	FACE		NOSE	FEET		BACK	Breech	Dam	Curve			
LOT	Purchaser	Price	CON	YCON	LS	YLS	ERA	YERA	MBS	SKIN	COV	JAW	PIG	PIG	LEGS		COV	Age	BEND			
101			0.02	0.34	0.35	0.38	0.00	0.06	-0.1	2	2	1	3	4	1	1	3	1	5%			
102			0.06	0.34	0.38	0.38	-0.01	0.01	-0.2	2	2	1	5	5	1	1	3	3	18%			
103			0.04	0.30	0.25	0.29	0.01	0.05	-0.2	2	1	1	2	3	1	1	2	2	0%			
104			0.04	0.30	0.27	0.29	0.01	0.04	0.0	2	2	1	3	4	1	1	3	4	17%			
105			0.04	0.35	0.32	0.34	0.01	0.06	-0.1	1	2	1	2	3	1	1	2	3	10%			
106			0.05	0.34	0.22	0.25	0.02	0.05	-0.2	2	1	1	4	5	1	1	1	3	5%			
107			0.04	0.31	0.37	0.40	-0.01	0.07	0.0	2	1	1	3	4	1	1	3	3	15%			
108			0.06	0.37	0.33	0.38	-0.01	0.05	-0.3	2	2	1	5	5	1	1	2	1	-6%			
109			0.06	0.44	0.25	0.27	0.02	0.08	-0.1	2	2	1	2	3	1	1	3	1	6%			
110			0.05	0.36	0.24	0.27	0.02	0.06	-0.2	1	1	1	4	4	1	1	1	4	5%			
111			0.04	0.34	0.31	0.32	0.01	0.07	-0.1	1	1	1	5	4	1	1	3	3	6%			
112			0.05	0.35	0.31	0.29	0.02	0.06	-0.1	2	2	1	3	3	1	1	3	1	-4%			
113			0.04	0.36	0.24	0.28	0.02	0.06	-0.2	1	2	1	2	3	1	1	3	4	6%			
114			0.04	0.41	0.24	0.29	0.03	0.08	-0.1	2	2	1	4	5	1	1	3	2	-4%			
115			0.04	0.35	0.25	0.28	0.02	0.06	-0.3	2	2	1	3	4	1	1	2	1	-6%			
116			0.03	0.28	0.35	0.39	0.01	0.07	-0.2	3	1	1	1	2	1	1	2	4	-3%			
117			0.04	0.33	0.41	0.43	-0.01	0.06	-0.1	2	2	1	4	4	1	1	2	1	-11%			
118			0.05	0.43	0.38	0.41	0.00	0.05	-0.3	1	1	1	3	4	1	1	2	1	4%			
119			0.04	0.31	0.30	0.30	0.01	0.07	-0.2	1	2	1	4	4	1	1	2	1	12%			
120			0.04	0.33	0.30	0.32	-0.01	0.07	-0.2	1	2	1	3	4	1	1	3	1	10%			
121			0.04	0.39	0.30	0.30	0.00	0.06	-0.3	1	2	1	3	4	1	1	3	3	-5%			
122			0.04	0.38	0.33	0.35	0.00	0.06	-0.2	1	2	1	3	3	1	1	3	1	29%			
123			0.04	0.31	0.45	0.44	0.00	0.03	-0.2	2	2	1	3	4	1	1	2	4	2%			
124			0.05	0.36	0.41	0.40	-0.02	0.06	-0.3	1	1	1	4	5	1	1	1	3	4%			
125			0.04	0.37	0.30	0.29	0.00	0.04	-0.1	2	1	1	4	5	1	1	3	3	7%			

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 17			REPRODUCTION TRAITS							PHENOTYPE										
			ADDITIONAL INFORMATION AS RAW DATA																	
LOT	Purchaser	Price	CON	YCON	Litter Size		Rearing Ability			PELT	FACE	JAW	NOSE		FEET	LEGS	BACK	Breech	Dam	Curve
					LS	YLS	ERA	YERA	MBS	SKIN	COV		PIG	PIG				COV	Age	BEND
126			0.05	0.36	0.30	0.29	0.01	0.05	-0.2	2	1	1	3	5	2	2	2	4	3	7%
127			0.05	0.37	0.28	0.31	0.03	0.07	0.1	3	1	1	5	5	1	1	1	4	1	9%
128			0.05	0.41	0.23	0.25	0.02	0.09	-0.1	3	3	1	3	5	2	2	2	5	2	11%
129			0.04	0.37	0.31	0.31	0.00	0.07	-0.3	2	3	1	5	4	2	2	2	4	5	-1%
130			0.05	0.38	0.31	0.27	0.00	0.07	-0.2	3	3	1	5	4	2	2	2	5	2	0%
131			0.04	0.40	0.31	0.32	0.00	0.07	-0.1	2	2	1	5	4	2	2	2	5	2	-1%
132			0.05	0.38	0.31	0.30	-0.01	0.06	-0.1	3	3	2	1	4	1	1	1	5	2	-5%
133			0.05	0.41	0.39	0.35	-0.01	0.06	-0.1	2	2	1	5	5	1	1	1	5	2	5%
134			0.05	0.39	0.23	0.23	0.02	0.08	-0.2	2	2	1	5	5	1	1	1	5	3	2%
135			0.06	0.37	0.38	0.42	0.01	0.07	-0.3	2	2	2	4	2	2	2	2	4	3	11%
136			0.04	0.33	0.35	0.34	0.01	0.04	-0.2	3	2	1	4	4	2	1	1	5	3	11%
137			0.03	0.27	0.04	0.10	0.02	0.09	0.0	2	2	2	1	4	1	1	1	5	4	10%
138			0.05	0.36	0.27	0.24	0.01	0.06	-0.1	2	3	1	4	5	2	1	1	5	4	1%
139			0.05	0.41	0.31	0.34	0.02	0.11	-0.1	2	3	1	4	5	2	1	1	5	2	-1%
140			0.06	0.36	0.32	0.35	0.02	0.07	-0.2	2	2	1	5	4	2	2	2	5	1	8%
141			0.02	0.28	0.22	0.27	0.02	0.06	0.1	2	3	2	5	5	1	2	2	5	1	9%
142			0.04	0.36	0.17	0.26	0.03	0.07	-0.2	2	3	2	5	3	2	3	3	5	2	-2%
143			0.06	0.40	0.28	0.25	0.00	0.06	-0.2	2	3	2	5	5	2	1	1	5	4	4%
144			0.05	0.42	0.36	0.32	0.01	0.07	-0.2	2	3	2	4	4	2	1	1	4	1	8%
145			0.03	0.34	0.36	0.41	0.02	0.07	-0.1	2	1	1	4	3	1	1	1	5	1	13%
146			0.07	0.41	0.28	0.28	0.02	0.06	0.0	2	2	1	3	4	2	3	3	5	2	15%
147			0.04	0.38	0.28	0.31	0.04	0.09	-0.1	1	1	2	5	5	1	1	1	3	1	5%
148			0.04	0.37	0.33	0.40	0.02	0.07	-0.4	1	2	2	5	4	2	1	1	4	1	24%
149			0.07	0.36	0.27	0.29	0.02	0.07	-0.1	3	2	2	4	5	2	3	3	3	3	10%
150			0.06	0.47	0.38	0.39	0.03	0.11	-0.2	3	2	1	5	3	1	1	1	3	3	22%

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 19			REPRODUCTION TRAITS					PHENOTYPE											
			ADDITIONAL INFORMATION AS RAW DATA																
			Conception		Litter Size		Rearing Ability			PELT	FACE		NOSE	FEET		Breech	Dam	Curve	
LOT	Purchaser	Price	CON	YCON	LS	YLS	ERA	YERA	MBS	SKIN	COV	JAW	PIG	PIG	LEGS	BACK	AGE	BEND	
151			0.04	0.33	0.63	0.60	-0.03	0.00	-0.4	2	2	1	2	3	1	1	2	1	3%
152			0.06	0.35	0.48	0.40	-0.01	0.01	-0.3	2	2	1	2	3	1	1	3	3	14%
153			0.04	0.31	0.48	0.50	0.00	0.05	-0.2	3	2	1	1	1	1	1	3	3	-5%
154			0.07	0.37	0.44	0.39	-0.02	0.04	-0.2	2	2	1	2	3	1	1	3	1	15%
155			0.05	0.28	0.43	0.42	0.00	0.04	-0.1	1	2	1	5	5	1	1	3	3	3%
156			0.06	0.36	0.40	0.37	-0.01	0.03	-0.2	1	1	1	3	3	1	1	1	2	11%
157			0.05	0.34	0.44	0.43	-0.01	0.03	-0.5	2	1	1	2	2	1	1	2	1	20%
158			0.04	0.33	0.43	0.39	-0.01	0.05	-0.2	2	1	1	2	3	1	1	1	3	-3%
159			0.05	0.32	0.46	0.43	-0.02	0.02	-0.3	2	2	1	2	3	1	1	3	1	20%
160			0.05	0.33	0.48	0.45	-0.03	0.01	-0.4	2	1	1	1	1	1	1	2	1	4%
161			0.06	0.31	0.45	0.47	-0.01	0.04	-0.3	1	1	1	4	5	1	1	2	3	4%
162			0.05	0.29	0.44	0.44	0.00	0.04	-0.2	2	2	1	5	5	1	1	3	3	-4%
163			0.05	0.33	0.47	0.47	-0.01	0.05	-0.3	1	1	1	4	5	1	1	1	3	13%
164			0.05	0.35	0.42	0.43	-0.01	0.02	-0.2	2	2	1	4	5	1	1	3	3	-8%
165			0.05	0.39	0.58	0.53	-0.01	0.05	-0.2	1	1	1	4	4	1	1	1	1	10%
166			0.07	0.39	0.50	0.46	0.00	0.03	-0.3	1	2	1	4	4	1	1	3	1	14%
167			0.07	0.44	0.47	0.43	-0.01	0.05	-0.4	2	2	1	4	4	1	1	1	1	19%
168			0.05	0.36	0.45	0.47	0.00	0.06	-0.2	3	2	1	2	2	1	1	3	4	8%
169			0.06	0.33	0.40	0.36	-0.01	0.01	-0.3	1	1	1	5	5	1	1	2	3	17%
170			0.04	0.30	0.46	0.48	-0.02	0.04	-0.4	2	2	1	4	5	1	1	3	1	17%
171			0.06	0.43	0.55	0.53	0.00	0.04	-0.3	1	2	1	3	4	1	1	3	1	-2%
172			0.06	0.33	0.46	0.38	-0.01	0.01	-0.2	2	2	1	3	3	1	1	3	3	13%
173			0.05	0.35	0.40	0.40	0.00	0.06	-0.3	2	1	1	4	4	1	1	3	2	-3%
174			0.04	0.32	0.50	0.53	-0.02	0.06	-0.3	2	2	1	4	3	1	1	3	2	-6%
175			0.06	0.40	0.43	0.39	-0.01	0.05	-0.2	1	1	1	3	4	1	1	3	1	9%

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 21			REPRODUCTION TRAITS										PHENOTYPE									
			ADDITIONAL INFORMATION AS RAW DATA																			
LOT	Purchaser	Price	CON	YCON	Litter Size		Rearing Ability			PELT	FACE	JAW	NOSE		FEET	LEGS	BACK	Breech	Dam	Curve		
					LS	YLS	ERA	YERA	MBS	SKIN	COV			PIG	PIG			COV	Age	BEND		
176			0.06	0.49	0.36	0.42	0.02	0.10	-0.2	2	2	2	1	5	4	2	1	3	1	1%		
177			0.08	0.41	0.28	0.31	0.03	0.08	-0.3	2	1	1	1	1	5	1	1	5	3	-7%		
178			0.08	0.45	0.39	0.39	0.02	0.06	-0.1	2	3	3	1	4	4	2	2	5	3	6%		
179			0.05	0.51	0.45	0.49	0.01	0.11	-0.3	3	2	2	1	5	5	1	2	4	2	3%		
180			0.06	0.41	0.38	0.40	0.02	0.07	-0.1	3	2	2	1	4	3	2	2	4	3	-12%		
181			0.07	0.43	0.35	0.34	0.03	0.06	-0.1	2	2	2	1	2	3	1	2	2	1	1%		
182			0.07	0.44	0.41	0.38	0.00	0.06	-0.2	2	2	2	1	5	4	2	2	5	1	10%		
183			0.07	0.48	0.35	0.40	0.04	0.12	-0.3	2	3	3	1	5	5	1	1	4	1	4%		
184			0.05	0.51	0.49	0.49	0.02	0.10	0.0	2	1	2	2	4	4	2	2	3	2	-19%		
185			0.04	0.39	0.43	0.47	0.00	0.09	-0.1	2	2	2	1	5	4	2	1	5	1	-6%		
186			0.05	0.43	0.36	0.40	0.03	0.07	-0.2	1	3	3	1	4	4	2	2	3	1	1%		
187			0.05	0.40	0.40	0.42	0.02	0.06	-0.2	2	2	2	1	5	3	1	1	5	1	2%		
188			0.06	0.42	0.36	0.38	0.03	0.07	-0.1	2	3	3	1	5	5	2	1	5	1	12%		
189			0.06	0.37	0.35	0.38	0.02	0.05	-0.3	3	1	1	1	5	4	2	1	4	5	-13%		
190			0.07	0.39	0.32	0.34	0.02	0.07	-0.1	2	1	2	2	5	3	2	1	5	2	-5%		
191			0.07	0.36	0.45	0.45	0.01	0.04	-0.1	5	2	2	1	5	4	2	2	5	5	-5%		
192			0.06	0.43	0.35	0.30	0.01	0.06	-0.1	2	3	3	1	4	4	1	2	5	1	0%		
193			0.05	0.42	0.39	0.43	0.02	0.08	-0.2	2	2	2	1	3	5	1	1	3	1	1%		
194			0.05	0.51	0.46	0.52	0.03	0.10	-0.4	2	1	5	5	5	5	1	1	5	4	9%		
195			0.05	0.40	0.37	0.38	0.02	0.06	-0.1	2	3	3	1	4	5	2	1	5	3	12%		
196			0.06	0.43	0.29	0.32	0.03	0.08	0.0	2	2	2	1	4	4	2	1	2	1	6%		
197			0.06	0.41	0.30	0.34	0.02	0.06	-0.2	3	3	3	1	3	5	2	2	5	3	-11%		
198			0.06	0.41	0.27	0.32	0.02	0.08	-0.1	2	3	3	1	3	4	2	2	5	3	4%		
199			0.06	0.40	0.28	0.31	0.02	0.07	-0.1	3	1	1	1	5	5	1	1	5	2	-13%		
200			0.05	0.46	0.28	0.32	0.04	0.11	-0.2	2	1	2	2	5	5	1	1	3	1	7%		

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 23			REPRODUCTION TRAITS										PHENOTYPE											
			ADDITIONAL INFORMATION AS RAW DATA										Breech		Dam		Curve							
LOT	Purchaser	Price	CON	YCON	Litter Size		Rearing Ability			PELT	FACE	JAW	NOSE		FEET	LEGS	BACK	COV	Age	BEND				
201			0.05	0.45	0.34	0.40	0.00	0.07	-0.3	1	2	1	2	3	3	1	1	3	1	1%				
202			0.04	0.40	0.40	0.39	-0.01	0.08	-0.2	2	2	1	1	1	1	1	1	3	1	19%				
203			0.06	0.41	0.37	0.36	-0.01	0.01	-0.4	2	1	1	3	4	1	1	1	2	1	12%				
204			0.06	0.40	0.31	0.30	0.02	0.06	-0.1	2	2	1	2	3	1	1	1	2	1	9%				
205			0.03	0.42	0.32	0.35	0.03	0.11	0.0	1	1	1	2	3	1	1	1	2	4	7%				
206			0.05	0.38	0.39	0.39	-0.01	0.06	-0.1	1	2	1	3	4	1	1	1	3	1	8%				
207			0.05	0.43	0.36	0.40	0.01	0.09	-0.3	2	1	1	3	4	1	1	1	3	4	7%				
208			0.04	0.40	0.35	0.36	0.01	0.08	-0.2	1	1	1	3	4	1	1	1	2	2	12%				
209			0.04	0.34	0.41	0.45	0.01	0.08	-0.2	3	2	1	5	5	1	1	1	3	3	-3%				
210			0.05	0.41	0.39	0.40	0.01	0.08	-0.1	2	2	1	1	1	1	1	1	3	1	0%				
211			0.04	0.35	0.37	0.42	0.01	0.07	-0.2	3	2	1	4	4	1	1	1	3	3	-8%				
212			0.03	0.37	0.37	0.37	0.00	0.07	-0.1	3	2	1	4	5	1	1	1	3	4	7%				
213			0.05	0.35	0.39	0.38	0.00	0.04	-0.3	1	2	1	2	3	1	1	1	2	3	15%				
214			0.04	0.38	0.35	0.40	0.01	0.09	-0.3	2	1	1	1	2	1	1	1	2	2	-11%				
215			0.04	0.36	0.31	0.40	0.02	0.09	-0.3	4	1	1	3	3	1	1	1	3	2	-14%				
216			0.04	0.37	0.39	0.39	-0.01	0.07	-0.2	2	2	1	3	2	1	1	1	2	3	7%				
217			0.04	0.42	0.32	0.33	0.02	0.10	-0.2	1	1	1	4	4	1	1	1	1	2	-4%				
218			0.05	0.32	0.36	0.37	0.01	0.06	-0.3	1	1	1	2	3	1	1	1	3	2	4%				
219			0.04	0.34	0.42	0.39	0.00	0.04	-0.3	1	1	1	4	4	1	1	1	1	3	7%				
220			0.07	0.40	0.38	0.34	-0.02	0.03	-0.3	1	1	1	4	5	1	1	1	1	1	15%				
221			0.05	0.30	0.37	0.37	0.00	0.04	-0.3	2	2	1	2	4	1	1	1	2	2	17%				
222			0.04	0.31	0.39	0.41	0.00	0.05	-0.2	2	2	1	2	4	1	1	1	3	2	7%				
223			0.04	0.35	0.35	0.34	0.00	0.05	-0.2	2	2	1	5	4	1	1	1	3	1	4%				
224			0.03	0.33	0.42	0.41	0.01	0.03	-0.2	1	2	1	3	4	1	1	1	3	1	-6%				
225			0.05	0.35	0.37	0.40	0.00	0.05	-0.3	3	1	1	3	4	1	1	1	3	3	10%				

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 25			REPRODUCTION TRAITS										PHENOTYPE									
			ADDITIONAL INFORMATION AS RAW DATA																			
LOT	Purchaser	Price	CON	YCON	Litter Size		Rearing Ability			PELT	FACE	JAW	NOSE		FEET	BACK	Breech	Dam	Curve			
					LS	YLS	ERA	YERA	MBS	SKIN	COV			PIG	PIG	LEGS	COV	Age	BEND			
226			0.04	0.27	0.24	0.30	0.01	0.05	-0.4	2	3	1	5	4	2	2	3	2	7%			
227			0.07	0.40	0.26	0.28	0.03	0.07	0.1	2	1	1	5	5	2	2	5	3	-6%			
228			0.05	0.35	0.12	0.19	0.03	0.08	-0.2	2	2	1	2	2	2	1	5	3	-11%			
229			0.04	0.42	0.38	0.41	0.03	0.10	0.0	2	2	1	5	4	1	1	2	5	7%			
230			0.06	0.45	0.32	0.40	0.03	0.11	-0.3	3	2	1	5	4	1	2	5	1	4%			
231			0.07	0.37	0.35	0.33	0.01	0.06	0.0	2	2	1	4	5	2	1	4	2	-4%			
232			0.07	0.37	0.35	0.33	0.01	0.06	0.0	3	2	1	5	5	2	1	5	2	1%			
233			0.04	0.32	0.22	0.31	0.02	0.07	-0.2	2	2	1	5	5	2	2	5	2	-8%			
234			0.06	0.26	0.10	0.16	0.02	0.04	-0.3	2	3	2	5	5	2	2	5	2	5%			
235			0.04	0.28	0.30	0.36	0.01	0.06	-0.1	3	2	1	3	5	2	2	5	2	-7%			
236			0.04	0.33	0.35	0.42	0.02	0.08	-0.2	2	2	1	5	5	2	1	5	2	-4%			
237			0.07	0.30	0.28	0.27	0.01	0.03	-0.2	3	2	1	5	5	2	1	5	3	2%			
238			0.06	0.43	0.29	0.35	0.01	0.10	-0.1	2	2	1	3	5	1	1	5	1	4%			
239			0.05	0.45	0.31	0.33	0.02	0.09	-0.1	2	3	1	5	5	2	2	5	2	-1%			
240			0.06	0.38	0.35	0.35	0.01	0.05	-0.3	2	3	1	5	3	2	2	5	2	-14%			
241			0.04	0.30	0.24	0.31	0.00	0.06	-0.2	3	2	2	5	4	1	1	4	3	-9%			
242			0.04	0.42	0.33	0.36	0.01	0.10	-0.3	2	3	1	4	5	1	1	5	3	-11%			
243			0.06	0.34	0.21	0.21	0.02	0.05	-0.1	2	3	1	3	5	2	1	5	1	1%			
244			0.04	0.31	0.16	0.27	0.02	0.10	-0.4	3	1	1	4	4	1	1	5	3	0%			
245			0.05	0.42	0.33	0.35	0.02	0.07	-0.2	2	2	2	5	4	2	2	5	1	6%			
246			0.04	0.38	0.33	0.37	0.02	0.08	-0.3	2	2	1	5	2	2	2	5	1	-3%			
247			0.03	0.33	0.20	0.27	0.03	0.09	-0.1	2	2	1	5	5	1	1	5	3	-6%			
248			0.06	0.35	0.28	0.32	0.02	0.07	-0.1	3	2	2	5	5	2	2	5	2	2%			
249			0.04	0.46	0.36	0.41	0.02	0.10	0.0	3	3	2	5	5	2	1	4	2	-12%			
250			0.05	0.41	0.30	0.37	0.03	0.08	-0.4	1	2	2	4	4	2	2	4	1	-2%			

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 27			REPRODUCTION TRAITS										PHENOTYPE									
			ADDITIONAL INFORMATION AS RAW DATA																			
			Conception		Litter Size		Rearing Ability			PELT	FACE		NOSE	FEET		Breech	Dam	Curve				
LOT	Purchaser	Price	CON	YCON	LS	YLS	ERA	YERA	MBS	SKIN	COV	JAW	PIG	PIG	LEGS	BACK	AGE	BEND				
251			0.05	0.24	0.47	0.44	-0.04	0.01	-0.4	1	2	1	3	3	1	1	1	24%				
252			0.05	0.36	0.37	0.36	0.00	0.06	-0.1	2	2	1	3	4	1	1	2	14%				
253			0.06	0.33	0.44	0.38	-0.03	0.04	-0.1	2	3	1	1	1	1	1	1	10%				
254			0.04	0.31	0.44	0.44	-0.01	0.05	-0.2	1	2	1	2	2	1	1	1	4%				
255			0.04	0.35	0.39	0.41	0.00	0.05	-0.3	3	2	1	1	3	1	1	3	10%				
256			0.05	0.30	0.42	0.38	-0.02	0.05	-0.2	1	1	1	1	2	1	1	3	10%				
257			0.05	0.32	0.38	0.38	-0.02	0.04	-0.3	1	1	1	4	4	1	1	2	9%				
258			0.05	0.34	0.31	0.31	0.01	0.04	-0.3	2	2	1	3	3	1	1	3	-5%				
259			0.05	0.34	0.38	0.39	-0.01	0.06	-0.2	1	2	1	3	4	1	1	3	21%				
260			0.04	0.34	0.40	0.39	0.00	0.05	-0.2	2	2	1	3	4	1	1	1	9%				
261			0.06	0.37	0.41	0.40	-0.02	0.03	-0.4	3	1	1	3	4	1	1	2	14%				
262			0.05	0.33	0.39	0.42	0.01	0.04	-0.3	3	1	1	3	4	1	1	3	6%				
263			0.05	0.39	0.37	0.42	0.02	0.05	-0.4	2	2	1	3	4	1	1	3	-5%				
264			0.05	0.42	0.31	0.34	0.02	0.07	-0.2	1	1	1	3	4	1	1	1	-5%				
265			0.04	0.45	0.31	0.38	0.01	0.09	-0.3	2	1	1	4	5	1	1	2	9%				
266			0.05	0.43	0.31	0.31	0.01	0.09	-0.2	1	1	1	4	3	1	1	3	7%				
267			0.03	0.39	0.28	0.33	0.03	0.10	-0.1	2	2	1	4	4	1	1	4	-1%				
268			0.03	0.40	0.34	0.38	0.01	0.08	-0.2	2	2	1	4	4	1	1	1	10%				
269			0.03	0.40	0.24	0.32	0.02	0.10	-0.1	2	2	1	5	5	1	1	3	1%				
270			0.03	0.42	0.28	0.31	0.02	0.10	-0.2	2	2	1	3	2	1	1	3	-3%				
271			0.05	0.46	0.29	0.32	0.01	0.07	-0.1	3	1	1	2	2	1	1	3	2%				
272			0.05	0.39	0.44	0.44	-0.02	0.05	-0.2	3	1	1	2	2	1	1	1	5%				
273			0.05	0.45	0.31	0.34	0.01	0.10	-0.2	1	2	1	3	4	1	1	3	4%				
274			0.05	0.31	0.34	0.36	0.01	0.06	-0.3	1	2	1	4	4	1	1	2	2%				
275			0.04	0.41	0.31	0.32	0.00	0.07	-0.3	1	1	1	5	4	1	1	1	-4%				

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 29			REPRODUCTION TRAITS										PHENOTYPE									
			ADDITIONAL INFORMATION AS RAW DATA																			
LOT	Purchaser	Price	CON	YCON	Litter Size		Rearing Ability			PELT	FACE	JAW	NOSE		FEET	LEGS	BACK	Breech	Dam	Curve		
					LS	YLS	ERA	YERA	MBS		SKIN	COV		PIG	PIG			COV	Age	BEND		
276			0.04	0.36	0.31	0.35	0.01	0.07			2	1	1	5	5	1	2	4	1	*		
277			0.04	0.35	0.35	0.38	-0.01	0.06	-0.2		2	2	1	1	5	2	1	5	1	-1%		
278			0.04	0.33	0.20	0.26	0.02	0.05	-0.2		3	2	2	4	4	1	2	4	2	2%		
279			0.05	0.41	0.30	0.38	0.01	0.08	-0.2		3	3	1	5	5	1	1	5	1	-9%		
280			0.03	0.30	0.29	0.33	0.00	0.05	-0.1		1	3	2	3	5	1	2	4	1	1%		
281			0.05	0.37	0.40	0.37	-0.01	0.07	-0.1		2	4	1	5	4	1	1	5	1	20%		
282			0.03	0.34	0.37	0.41	0.01	0.07	-0.2		2	3	1	4	4	2	1	5	1	16%		
283			0.04	0.30	0.41	0.41	-0.02	0.05	-0.1		1	2	1	3	5	1	1	3	1	14%		
284			0.03	0.32	0.36	0.43	0.02	0.09	-0.2		2	1	1	3	5	1	1	3	1	12%		
285			0.03	0.35	0.31	0.39	0.01	0.07	-0.2		2	2	2	4	4	1	1	4	1	22%		
286			0.05	0.40	0.31	0.37	0.00	0.08	-0.3		3	3	1	5	5	2	2	4	1	9%		
287			0.03	0.32	0.26	0.33	0.02	0.08	-0.1		2	2	2	5	4	1	1	4	1	0%		
288			0.03	0.43	0.38	0.43	0.02	0.12	-0.2		3	3	1	5	5	2	1	5	1	7%		
289			0.04	0.33	0.25	0.30	0.02	0.08	0.0		2	2	1	4	4	2	2	4	1	8%		
290			0.04	0.46	0.33	0.32	0.02	0.10	0.0		2	1	1	1	5	1	1	2	1	10%		
291			0.04	0.32	0.27	0.27	0.01	0.06	-0.2		3	2	2	5	3	2	1	5	2	3%		
292			0.03	0.37	0.26	0.34	0.02	0.10	-0.1		2	2	1	3	4	2	2	2	2	-2%		
293			0.04	0.37	0.17	0.26	0.03	0.07	-0.2		3	2	2	4	3	2	1	5	2	11%		
294			0.03	0.34	0.40	0.44	0.01	0.06	-0.3		3	1	1	5	2	1	1	5	1	11%		
295			0.05	0.39	0.28	0.31	0.01	0.09	-0.1		2	3	2	3	3	2	2	5	2	5%		
296			0.04	0.40	0.35	0.35	0.00	0.09	0.0		3	3	1	3	5	1	2	5	2	-16%		
297			0.05	0.43	0.36	0.38	0.01	0.09	-0.1		3	3	2	4	4	1	1	5	2	-16%		
298			0.05	0.37	0.33	0.37	0.02	0.07	-0.2		3	2	2	5	4	2	2	2	1	-12%		
299			0.05	0.39	0.37	0.41	0.00	0.06	-0.1		2	3	1	5	4	3	1	5	1	-26%		
300			0.04	0.40	0.43	0.40	0.00	0.08	0.0		3	2	1	4	3	2	1	4	3	-4%		

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 31			REPRODUCTION TRAITS										PHENOTYPE									
			ADDITIONAL INFORMATION AS RAW DATA																			
LOT	Purchaser	Price	Conception		Litter Size		Rearing Ability			PELT	FACE		JAW	NOSE		FEET		Breech	Dam	Curve		
			CON	YCON	LS	YLS	ERA	YERA	MBS	SKIN	COV			PIG	PIG		BACK	COV	Age	BEND		
301			0.05	0.35	0.36	0.39	-0.03	0.03	-0.3	2	3		1	1	2	1	1	2	1	17%		
302			0.04	0.32	0.35	0.34	0.00	0.04	-0.2	2	1		1	1	3	1	1	2	3	1%		
303			0.03	0.38	0.33	0.31	0.00	0.06	-0.2	2	1		1	1	3	4	1	2	3	-3%		
304			0.05	0.41	0.21	0.28	0.00	0.05	-0.5	1	1		1	1	4	5	1	1	1	16%		
305			0.03	0.29	0.30	0.35	0.00	0.05	-0.1	2	1		1	1	5	5	1	3	2	16%		
306			0.04	0.35	0.39	0.42	-0.02	0.04	-0.2	1	2		1	1	2	1	1	3	1	12%		
307			0.04	0.33	0.24	0.29	0.01	0.04	-0.3	2	2		1	1	3	4	1	3	1	-10%		
308			0.04	0.28	0.31	0.27	-0.01	0.04	-0.1	4	2		1	1	1	1	1	3	3	13%		
309			0.04	0.37	0.36	0.34	0.00	0.07	-0.2	2	1		1	1	3	4	1	3	1	7%		
310			0.06	0.33	0.34	0.33	-0.01	0.04	-0.3	2	2		1	1	3	1	1	2	1	-1%		
311			0.06	0.37	0.31	0.35	-0.01	0.04	-0.4	1	1		1	1	4	5	1	1	1	16%		
312			0.03	0.30	0.38	0.38	-0.01	0.08	-0.2	2	2		1	1	3	3	1	2	1	-5%		
313			0.03	0.22	0.37	0.36	-0.02	0.02	-0.2	1	2		1	1	2	4	1	4	3	6%		
314			0.04	0.33	0.32	0.32	0.00	0.05	-0.1	3	2		1	1	4	4	1	3	1	7%		
315			0.03	0.36	0.26	0.28	0.01	0.08	-0.2	3	2		1	1	3	5	1	3	2	0%		
316			0.03	0.38	0.29	0.34	0.01	0.09	-0.1	2	2		1	1	4	4	1	2	2	2%		
317			0.04	0.32	0.34	0.36	-0.01	0.06	-0.4	1	2		1	1	4	4	1	2	1	14%		
318			0.02	0.25	0.28	0.30	0.00	0.06	-0.2	2	2		1	1	2	1	1	2	3	6%		
319			0.03	0.39	0.27	0.29	0.01	0.09	-0.2	2	2		1	1	3	4	1	2	2	2%		
320			0.04	0.37	0.32	0.30	0.00	0.06	-0.1	3	1		1	1	3	4	1	3	4	16%		
321			0.02	0.27	0.35	0.37	0.00	0.06	-0.1	1	1		1	1	3	4	1	1	2	7%		
322			0.04	0.36	0.36	0.32	-0.01	0.04	-0.1	2	2		1	1	2	3	1	1	1	12%		
323			0.04	0.38	0.30	0.31	0.00	0.06	-0.3	2	1		1	1	3	3	1	3	1	17%		
324			0.02	0.35	0.29	0.32	0.02	0.08	-0.2	1	1		1	1	4	4	1	1	2	7%		
325			0.04	0.40	0.31	0.31	0.00	0.08	-0.2	1	2		1	1	5	5	1	1	2	4%		

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 33			REPRODUCTION TRAITS							PHENOTYPE										
			Conception			Litter Size		Rearing Ability		PELT	FACE	JAW	NOSE		FEET	BACK	Breech		Dam	Curve
LOT	Purchaser	Price	CON	YCON	LS	YLS	ERA	YERA	MBS				SKIN	COV			PIG	PIG		
326			0.07	0.51	0.51	0.50	0.01	0.08	-0.2	3	2	1	5	5	2	2	4	3	14%	
327			0.04	0.43	0.56	0.58	0.01	0.12	-0.1	3	2	1	5	5	2	2	4	3	-10%	
328			0.06	0.42	0.51	0.51	0.01	0.08	-0.1	1	2	1	3	5	2	2	4	2	16%	
329			0.05	0.41	0.54	0.56	0.01	0.10	-0.1	3	3	1	5	5	2	1	5	3	-6%	
330			0.05	0.46	0.50	0.53	0.02	0.10	-0.1	1	1	2	5	4	1	2	3	1	8%	
331			0.05	0.50	0.52	0.54	0.02	0.08	0.0	2	2	1	4	4	2	2	2	4	-8%	
332			0.05	0.48	0.51	0.50	0.01	0.08	-0.2	3	2	1	5	5	2	2	3	4	2%	
333			0.05	0.47	0.46	0.47	0.02	0.10	0.0	2	2	1	5	5	1	1	3	5	6%	
334			0.05	0.45	0.48	0.48	0.02	0.12	-0.1	2	1	1	4	5	2	1	3	1	15%	
335			0.05	0.48	0.48	0.50	0.02	0.10	-0.1	1	2	1	5	5	2	2	2	1	11%	
336			0.06	0.46	0.51	0.51	-0.01	0.08	-0.2	2	2	1	5	5	2	2	3	2	8%	
337			0.06	0.49	0.43	0.43	0.02	0.09	0.0	3	2	2	5	4	1	1	3	2	4%	
338			0.06	0.48	0.44	0.44	0.02	0.09	-0.1	3	2	1	5	5	2	2	3	5	23%	
339			0.06	0.46	0.45	0.37	0.01	0.05	-0.2	2	1	2	4	4	2	2	5	3	5%	
340			0.05	0.42	0.47	0.47	0.01	0.09	-0.2	2	2	1	3	4	2	2	3	2	6%	
341			0.05	0.46	0.41	0.45	0.02	0.10	-0.1	2	2	2	5	4	2	2	3	2	4%	
342			0.05	0.45	0.43	0.42	0.02	0.08	0.0	3	3	1	5	5	3	1	4	3	-9%	
343			0.04	0.41	0.44	0.45	0.01	0.09	0.0	3	2	1	5	4	2	2	5	2	15%	
344			0.05	0.42	0.39	0.43	0.02	0.08	-0.2	1	2	1	3	4	2	1	3	1	3%	
345			0.05	0.46	0.40	0.42	0.03	0.11	-0.1	2	2	1	4	4	1	2	4	1	15%	
346			0.05	0.46	0.42	0.45	0.02	0.11	-0.2	2	1	1	4	3	2	2	3	1	7%	
347			0.05	0.41	0.44	0.44	0.00	0.06		3	2	1	5	5	2	2	5	1	-7%	
348			0.06	0.44	0.42	0.46	0.01	0.09	-0.2	3	3	1	5	5	1	1	5	1	-9%	
349			0.06	0.45	0.42	0.43	0.01	0.06	-0.2	2	3	2	4	4	1	2	4	5	3%	
350			0.04	0.39	0.43	0.47	0.01	0.06	-0.3	1	1	1	5	4	2	1	3	1	11%	

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 35			REPRODUCTION TRAITS					PHENOTYPE											
			ADDITIONAL INFORMATION AS RAW DATA																
			Conception		Litter Size		Rearing Ability			PELT	FACE		NOSE	FEET		Breech	Dam	Curve	
LOT	Purchaser	Price	CON	YCON	LS	YLS	ERA	YERA	MBS	SKIN	COV	JAW	PIG	PIG	LEGS	BACK	COV	Age	BEND
351			0.05	0.42	0.52	0.49	0.01	0.07	-0.2	2	2	1	5	5	1	1	3	1	6%
352			0.07	0.45	0.51	0.45	-0.01	0.04	-0.2	1	2	1	2	3	1	1	3	1	28%
353			0.06	0.43	0.49	0.42	0.00	0.06	-0.1	2	2	1	3	4	1	1	2	1	15%
354			0.08	0.47	0.43	0.41	0.00	0.05	-0.1	3	1	1	1	1	1	1	3	1	12%
355			0.06	0.39	0.50	0.46	-0.01	0.02	-0.3	1	1	1	3	3	1	1	2	1	18%
356			0.06	0.39	0.51	0.49	-0.01	0.05		2	2	1	3	2	1	1	3	1	5%
357			0.07	0.47	0.34	0.38	0.03	0.08	-0.3	3	3	1	2	3	1	1	2	1	-5%
358			0.05	0.39	0.48	0.47	-0.01	0.05	-0.3	1	1	1	3	3	1	1	3	1	13%
359			0.06	0.39	0.38	0.43	0.01	0.04	-0.3	2	2	1	4	4	1	1	3	3	-7%
360			0.05	0.41	0.41	0.42	0.01	0.07	-0.3	1	1	1	3	4	1	1	2	3	6%
361			0.04	0.39	0.41	0.42	0.01	0.07	-0.3	2	1	1	3	4	1	1	2	3	6%
362			0.06	0.47	0.40	0.39	0.00	0.05	-0.2	2	1	1	3	4	1	1	2	1	11%
363			0.05	0.42	0.39	0.36	0.01	0.07	-0.1	1	3	1	3	5	1	1	3	1	10%
364			0.05	0.37	0.38	0.43	0.01	0.08	-0.3	2	1	1	4	4	1	1	2	3	-3%
365			0.05	0.36	0.38	0.37	0.00	0.05	-0.1	2	2	1	4	5	1	1	2	4	18%
366			0.04	0.33	0.39	0.45	0.01	0.07	-0.3	3	2	1	5	4	1	1	3	2	-3%
367			0.04	0.38	0.37	0.32	0.01	0.04	-0.2	2	2	1	*	*	1	1	3	5	13%
368			0.04	0.37	0.37	0.35	0.00	0.05	-0.2	1	2	1	3	4	1	1	3	1	6%
369			0.04	0.32	0.39	0.43	0.00	0.06	-0.2	1	1	1	3	4	1	1	1	2	1%
370			0.04	0.29	0.39	0.44	-0.01	0.06	-0.3	3	3	1	4	5	1	1	3	5	1%
371			0.05	0.34	0.35	0.34	0.00	0.03	-0.2	1	2	1	3	3	1	1	3	1	19%
372			0.04	0.29	0.44	0.43	-0.03	0.01	-0.3	3	2	1	3	4	1	1	3	1	-1%
373			0.05	0.36	0.34	0.39	0.01	0.07	-0.3	2	2	1	3	3	1	1	2	1	-8%
374			0.05	0.36	0.34	0.36	0.00	0.06	-0.2	2	1	1	2	3	1	1	3	4	-4%
375			0.05	0.36	0.34	0.37	0.01	0.07	-0.4	1	1	1	3	3	1	1	2	3	-5%

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

7	184.2	0.35	0.66	-0.1	0.5	10.7	16.9	18.0	17.6	-0.4	2.5	-1	-55	0.1	5.8	0	-1
50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1
Todays rams average																	
Maternal percentile average																	

Top 5% yellow, top 10% grey, top 30 % bold type.

page 37			REPRODUCTION TRAITS										PHENOTYPE									
			ADDITIONAL INFORMATION AS RAW DATA																			
			LOT	Purchaser	Price	CON	YCON	Litter Size		Rearing Ability			PELT	FACE	JAW	NOSE		FEET	BACK	Breech	Dam	Curve
						LS	YLS	ERA	YERA	MBS	SKIN	COV				PIG	PIG	LEGS	COV	Age	BEND	
376			0.08	0.41	0.40	0.36	0.01	0.06	-0.2		3	3	2	2	3	4	3	2	4	3	28%	
377			0.04	0.44	0.49	0.49	0.01	0.10	0.0		3	3	1	1	5	2	2	1	4	2	25%	
378			0.04	0.49	0.44	0.49	0.02	0.11	0.0		3	2	1	1	4	1	2	2	4	1	6%	
379			0.05	0.45	0.40	0.42	0.02	0.09	-0.1		3	2	1	1	5	5	1	2	5	3	-8%	
380			0.07	0.44	0.33	0.31	0.03	0.10	-0.1		2	3	2	2	5	5	2	2	4	1	-5%	
381			0.06	0.45	0.38	0.35	0.02	0.08			1	2	1	1	5	5	1	2	4	1	4%	
382			0.05	0.43	0.42	0.41	0.01	0.09	0.0		2	2	1	1	5	5	2	2	5	2	2%	
383			0.05	0.40	0.37	0.38	0.02	0.06	-0.1		2	3	1	1	3	5	2	1	4	3	23%	
384			0.07	0.49	0.31	0.33	0.03	0.12	0.0		3	2	1	1	5	3	2	1	4	1	11%	
385			0.06	0.46	0.41	0.42	0.00	0.09	-0.1		3	2	1	1	5	5	2	2	5	2	-7%	
386			0.05	0.48	0.37	0.37	0.02	0.09	0.0		3	3	1	1	3	3	1	1	5	2	-1%	
387			0.06	0.40	0.38	0.32	0.01	0.06	-0.1		2	3	2	2	3	3	2	2	5	1	13%	
388			0.04	0.44	0.40	0.42	0.02	0.10	-0.1		2	2	2	2	5	5	2	1	4	3	-6%	
389			0.05	0.49	0.38	0.42	0.02	0.11	-0.1		3	3	1	1	5	4	1	1	5	2	5%	
390			0.04	0.43	0.43	0.44	0.01	0.10	-0.1		3	2	1	1	5	5	2	1	4	2	8%	
391			0.05	0.36	0.40	0.34	0.00	0.05	-0.1		2	2	2	2	2	4	2	1	3	1	-3%	
392			0.05	0.41	0.38	0.38	0.01	0.08	-0.1		1	2	1	1	3	5	2	1	5	2	11%	
393			0.05	0.36	0.33	0.35	0.02	0.08	-0.2		3	2	2	2	3	5	1	1	5	1	-1%	
394			0.06	0.38	0.33	0.26	0.01	0.04	-0.3		1	2	2	2	5	5	2	3	5	4	5%	
395			0.04	0.45	0.31	0.38	0.03	0.11	0.0		3	2	1	1	5	5	1	1	3	2	-7%	
396			0.04	0.37	0.38	0.39	0.00	0.05	-0.1		2	2	1	1	4	3	2	2	3	2	0%	
397			0.04	0.33	0.43	0.43	0.00	0.07	-0.1		2	3	1	1	5	5	2	1	5	2	3%	
398			0.07	0.37	0.32	0.33	0.01	0.06	0.0		3	2	1	1	4	5	1	2	4	2	-1%	
399			0.06	0.40	0.33	0.30	0.01	0.07			1	1	1	1	5	4	2	1	5	1	8%	
400			0.05	0.38	0.33	0.33	0.00	0.07	-0.1		2	2	1	1	4	2	2	1	5	2	-4%	

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 39			REPRODUCTION TRAITS					PHENOTYPE											
			ADDITIONAL INFORMATION AS RAW DATA																
			Conception		Litter Size		Rearing Ability			PELT	FACE		NOSE	FEET		Breech	Dam	Curve	
LOT	Purchaser	Price	CON	YCON	LS	YLS	ERA	YERA	MBS	SKIN	COV	JAW	PIG	PIG	LEGS	BACK	COV	Age	BEND
401			0.04	0.34	0.36	0.41	-0.02	0.05	-0.4	2	2	1	5	5	1	1	3	1	5%
402			0.04	0.38	0.25	0.31	0.02	0.08	-0.2	1	2	1	2	2	1	1	1	3	7%
403			0.06	0.33	0.32	0.31	-0.01	0.03	-0.3	2	2	1	3	3	1	1	3	2	18%
404			0.04	0.34	0.37	0.34	0.00	0.06	-0.2	1	1	1	2	2	1	1	2	2	8%
405			0.06	0.35	0.25	0.32	0.01	0.06	-0.4	1	2	1	3	4	1	1	3	1	-1%
406			0.05	0.35	0.29	0.33	0.01	0.08	-0.2	2	1	1	3	4	1	1	2	2	-5%
407			0.04	0.30	0.35	0.33	-0.01	0.03	-0.1	3	2	1	3	3	1	1	3	1	13%
408			0.03	0.37	0.31	0.32	0.01	0.10	-0.1	2	2	1	3	4	1	1	3	2	7%
409			0.02	0.23	0.27	0.30	-0.01	0.08	-0.2	3	3	1	3	4	1	1	4	1	-12%
410			0.03	0.20	0.14	0.17	0.01	0.04	-0.2	2	1	1	2	3	1	1	1	4	10%
411			0.04	0.37	0.27	0.28	0.01	0.06	-0.2	2	2	1	3	4	1	1	3	3	1%
412			0.04	0.34	0.32	0.33	0.01	0.06	-0.1	2	2	1	1	2	1	1	2	3	9%
413			0.04	0.24	0.48	0.47	-0.02	0.03	-0.2	1	2	1	5	5	1	1	3	5	29%
414			0.04	0.34	0.28	0.35	0.02	0.07	-0.2	2	1	1	4	4	1	1	2	4	-6%
415			0.03	0.39	0.21	0.26	0.02	0.08	-0.2	2	2	1	4	5	1	1	2	2	-9%
416			0.04	0.38	0.25	0.28	0.01	0.07	-0.1	1	2	1	2	3	1	1	3	2	3%
417			0.03	0.27	0.35	0.36	-0.01	0.04	-0.2	2	2	1	5	5	1	1	2	3	20%
418			0.02	0.31	0.33	0.33	0.00	0.08	-0.2	1	2	1	3	4	1	1	2	2	1%
419			0.04	0.33	0.35	0.34	0.00	0.04	-0.3	2	2	1	4	4	1	1	2	1	19%
420			0.03	0.31	0.35	0.39	0.00	0.05	-0.1	1	1	1	1	2	1	1	2	4	10%
421			0.03	0.21	0.41	0.41	-0.02	0.03	-0.2	2	1	1	4	5	1	1	2	3	21%
422			0.05	0.31	0.21	0.26	0.02	0.06	-0.2	2	2	1	3	4	1	1	1	2	1%
423			0.03	0.31	0.17	0.24	0.03	0.08	-0.3	1	2	1	4	4	1	1	3	1	-20%
424			0.03	0.31	0.36	0.44	0.01	0.09	-0.2	2	3	1	4	4	1	1	3	4	-5%
425			0.03	0.30	0.36	0.44	0.01	0.08	-0.2	*	*	1	2	3	1	1	*	4	-6%

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

7	184.2	0.35	0.66	-0.1	0.5	10.7	16.9	18.0	17.6	-0.4	2.5	-1	-55	0.1	5.8	0	-1
50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1
Maternal percentile average																	

Top 5% yellow, top 10% grey, top 30 % bold type.

page 41			REPRODUCTION TRAITS							PHENOTYPE											
			ADDITIONAL INFORMATION AS RAW DATA																		
LOT	Purchaser	Price	Conception		Litter Size		Rearing Ability			PELT	FACE	JAW	NOSE		FEET	LEGS	BACK	Breech		Dam	Curve
			CON	YCON	LS	YLS	ERA	YERA	MBS				PIG	PIG				COV	COV		
426			0.06	0.40	0.38	0.39	0.02	0.07	-0.1	2	1	1	5	4	2	2	2	4	2	12%	
427			0.05	0.38	0.38	0.39	0.02	0.07	-0.3	2	3	1	4	5	1	1	1	5	1	12%	
428			0.05	0.45	0.37	0.38	0.00	0.08	0.1	2	2	2	5	5	2	2	2	4	2	-2%	
429			0.07	0.45	0.28	0.31	0.03	0.09	-0.1	3	2	1	4	5	2	2	2	4	2	0%	
430			0.06	0.38	0.32	0.39	0.01	0.06	-0.1	2	3	1	5	5	2	2	2	5	1	-25%	
431			0.06	0.40	0.24	0.25	0.03	0.08	-0.1	2	2	1	2	3	2	2	2	5	3	-7%	
432			0.04	0.37	0.34	0.34	0.01	0.09	-0.1	2	2	1	5	5	2	2	1	4	2	12%	
433			0.05	0.41	0.32	0.35	0.02	0.08	-0.1	3	2	1	4	4	2	1	1	5	1	*	
434			0.05	0.44	0.34	0.34	0.00	0.08	-0.2	2	2	1	5	4	2	1	1	4	2	-3%	
435			0.05	0.39	0.29	0.31	0.02	0.06	-0.2	3	3	1	5	4	2	1	1	4	2	2%	
436			0.04	0.38	0.37	0.39	0.01	0.08	0.1	1	2	2	4	1	1	1	1	5	3	-4%	
437			0.05	0.37	0.34	0.37	0.00	0.08	-0.2	3	3	2	5	5	1	1	1	4	2	1%	
438			0.04	0.40	0.35	0.36	0.01	0.06	0.0	3	2	1	5	4	2	1	1	5	1	-10%	
439			0.04	0.45	0.36	0.41	0.02	0.10	0.1	3	1	2	5	5	2	2	2	4	3	-4%	
440			0.04	0.40	0.32	0.35	0.02	0.11	-0.1	2	2	2	5	4	1	2	2	4	2	16%	
441			0.05	0.39	0.33	0.35	0.02	0.08	-0.2	2	2	1	5	4	2	2	1	4	1	7%	
442			0.05	0.41	0.26	0.34	0.01	0.08	-0.1	3	2	1	3	5	1	2	2	5	1	-16%	
443			0.04	0.44	0.29	0.30	0.02	0.07	-0.2	3	2	1	3	5	2	2	2	5	1	-4%	
444			0.04	0.41	0.26	0.30	0.02	0.10	-0.1	3	2	2	3	5	2	2	2	4	2	9%	
445			0.06	0.44	0.22	0.28	0.02	0.09	-0.1	2	2	1	4	5	2	2	1	5	1	-7%	
446			0.06	0.42	0.19	0.26	0.03	0.09	0.0	2	2	2	4	3	2	2	2	5	1	-22%	
447			0.07	0.40	0.22	0.26	0.03	0.07	-0.1	2	2	1	5	5	1	1	1	4	2	-5%	
448			0.06	0.35	0.32	0.34	0.02	0.07	0.0	2	2	1	5	5	1	1	1	5	2	11%	
449			0.06	0.36	0.27	0.33	0.03	0.07	0.0	1	2	1	5	5	2	2	2	3	5	-7%	
450			0.06	0.38	0.28	0.29	0.03	0.07	-0.2	2	2	2	4	5	2	2	1	5	3	-3%	

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

page 43			REPRODUCTION TRAITS							PHENOTYPE										
			ADDITIONAL INFORMATION AS RAW DATA																	
			Conception		Litter Size		Rearing Ability			PELT	FACE		JAW	NOSE		FEET		Breech	Dam	Curve
LOT	Purchaser	Price	CON	YCON	LS	YLS	ERA	YERA	MBS	SKIN	COV			PIG	PIG		BACK	COV	Age	BEND
451			0.05	0.37	0.33	0.37	0.01	0.05	-0.3	2	2	1	1	5	4	1	1	3	2	-10%
452			0.06	0.42	0.26	0.32	0.03	0.08	-0.4	3	3	1	1	4	4	1	1	2	2	-9%
453			0.05	0.40	0.26	0.29	0.01	0.09	-0.1	2	2	1	1	3	4	1	1	3	3	-7%
454			0.06	0.40	0.21	0.28	0.02	0.06	-0.1	1	1	1	1	4	5	1	1	3	3	-4%
455			0.04	0.33	0.20	0.28	0.02	0.08	-0.1	2	2	1	1	4	4	1	1	3	1	-23%
456			0.05	0.39	0.25	0.31	0.03	0.09	-0.1	2	2	1	1	3	4	1	1	1	4	-9%
457			0.04	0.31	0.27	0.29	0.01	0.07	-0.2	1	1	1	1	3	4	1	1	1	4	0%
458			0.05	0.38	0.25	0.31	0.03	0.09	-0.1	2	1	1	1	4	5	1	1	3	4	-11%
459			0.04	0.31	0.20	0.24	0.02	0.08	-0.3	1	2	1	1	3	3	1	1	2	3	0%
460			0.04	0.34	0.25	0.30	0.02	0.09	-0.2	2	2	1	1	3	4	1	1	3	3	0%
461			0.07	0.51	0.39	0.36	0.02	0.08	-0.2	1	1	1	1	2	3	1	1	3	1	9%
462			0.06	0.41	0.42	0.39	0.00	0.07	-0.1	2	2	1	1	2	3	1	1	3	1	11%
463			0.05	0.35	0.37	0.41	0.02	0.07	-0.3	2	2	1	1	1	3	1	1	3	3	-1%
464			0.06	0.41	0.46	0.45	-0.01	0.06		2	1	1	1	4	4	1	1	2	1	-2%
465			0.05	0.32	0.43	0.45	0.00	0.03	-0.4	1	3	1	1	2	3	1	1	3	3	-10%
466			0.07	0.42	0.37	0.38	0.01	0.05	-0.3	2	1	1	1	1	2	1	1	3	1	12%
467			0.05	0.37	0.46	0.43	0.00	0.04	-0.3	3	2	1	1	3	4	1	1	3	4	8%
468			0.06	0.36	0.42	0.38	0.00	0.03	-0.3	2	2	1	1	4	4	1	1	3	5	15%
469			0.05	0.38	0.33	0.37	0.01	0.07	-0.4	1	1	1	1	0	5	1	1	3	3	-5%
470			0.04	0.36	0.31	0.35	0.02	0.07	-0.3	2	2	1	1	4	5	1	1	3	4	-10%
471			0.04	0.37	0.37	0.43	0.01	0.09	-0.3	2	2	1	1	1	2	1	1	3	3	-10%
472			0.05	0.33	0.36	0.37	0.00	0.06	-0.4	3	1	1	1	3	2	1	1	3	3	-6%
473			0.05	0.45	0.33	0.36	0.02	0.09	-0.2	1	1	1	1	4	4	1	1	2	2	-3%
474			0.04	0.42	0.36	0.39	0.01	0.07	-0.1	1	2	1	1	3	4	1	1	3	3	5%
475			0.04	0.35	0.35	0.38	0.02	0.07	-0.2	2	2	1	1	3	4	1	1	3	4	6%

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

7	184.2	0.35	0.66	-0.1	0.5	10.7	16.9	18.0	17.6	-0.4	2.5	-1	-55	0.1	5.8	0	-1
50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1
Today's rams average																	
Maternal percentile average																	

Top 5% yellow, top 10% grey, top 30 % bold type.

REPRODUCTION TRAITS

PHENOTYPE

ADDITIONAL INFORMATION AS RAW DATA

LOT	Purchaser	Price	Conception		Litter Size		Rearing Ability			PELT	FACE	JAW		NOSE		LEGS	BACK	Breech		Dam	Curve	SIRE	LOT
			CON	YCON	LS	YLS	ERA	YERA	MBS			COV	COV	PIG	PIG			COV	COV				
476			0.05	0.38	0.27	0.29	0.03	0.07	0.1	2	3	2	2	4	4	1	1	5	5	1	-14%	224452	476
477			0.04	0.36	0.26	0.30	0.01	0.08	-0.2	2	2	1	1	5	5	1	1	3	3	3	2%	235095	477
478			0.05	0.34	0.29	0.31	0.00	0.07	-0.1	3	3	1	1	5	5	1	1	4	4	2	-6%	235095	478
479			0.04	0.29	0.11	0.20	0.03	0.07	-0.3	3	3	2	2	5	4	1	1	5	5	2	-3%	232527	479
480			0.04	0.38	0.30	0.35	0.01	0.09	-0.1	2	2	2	2	5	5	2	1	5	5	3	-17%	235095	480
481			0.05	0.35	0.26	0.31	0.03	0.08	-0.1	3	2	1	1	3	3	1	2	5	5	2	-8%	234581	481
482			0.05	0.35	0.24	0.29	0.03	0.08	-0.1	3	1	1	1	5	3	2	1	5	5	2	-6%	234581	482
483			0.06	0.34	0.31	0.34	0.00	0.06	-0.1	3	3	2	2	5	3	2	1	5	5	1	-8%	213252	483
484			0.05	0.35	0.26	0.31	0.03	0.08	-0.1	3	2	1	1	3	3	2	2	4	4	2	-1%	234581	484
485			0.04	0.33	0.31	0.35	0.01	0.05	-0.2	3	2	1	1	5	4	1	1	4	4	1	0%	205576	485
486			0.05	0.44	0.28	0.32	0.03	0.09	-0.1	3	2	2	2	5	5	2	1	4	4	1	-18%	235380	486
487			0.05	0.46	0.22	0.27	0.04	0.11	-0.1	3	2	1	1	5	5	1	1	5	5	1	-15%	224833	487
488			0.05	0.47	0.47	0.36	0.00	0.05	0.0	3	2	1	1	5	4	2	2	4	4	3	-10%	202003	488
489			0.04	0.38	0.41	0.42	0.00	0.07	0.0	3	3	1	1	4	4	2	2	1	1	3	-9%	235095	489
490			0.05	0.44	0.27	0.28	0.02	0.08	-0.2	2	2	1	1	5	3	2	2	4	4	2	-5%	233227	490
491			0.04	0.41	0.32	0.34	0.02	0.09		3	2	2	2	4	3	2	1	4	4	1	3%	*	491
492			0.05	0.43	0.42	0.43	0.00	0.09	-0.1	2	3	1	1	5	4	2	1	5	5	3	16%	234819	492
493			0.07	0.43	0.31	0.28	0.02	0.07	-0.1	2	2	1	1	5	1	1	2	5	5	2	-5%	234581	493
494			0.05	0.36	0.29	0.30	0.02	0.07		2	1	1	1	5	3	1	1	4	4	1	-4%	*	494
495			0.06	0.38	0.37	0.35	0.00	0.06	-0.2	3	3	1	1	4	5	2	1	5	5	1	-12%	213252	495
496			0.05	0.40	0.23	0.24	0.02	0.08		3	1	2	2	3	4	2	2	4	4	1	2%	*	496
497			0.04	0.37	0.27	0.29	0.02	0.06	-0.1	3	2	1	1	5	5	2	1	4	4	2	-6%	233121	497
498			0.06	0.42	0.31	0.31	0.02	0.06		1	2	2	2	5	4	2	2	4	4	1	*	*	498
499			0.04	0.38	0.30	0.31	0.02	0.08		2	3	1	1	5	3	1	1	4	4	1	-1%	*	499
500			0.05	0.39	0.35	0.34	0.01	0.08	-0.2	3	2	2	2	5	5	1	1	5	5	1	10%	235040	500

0.05	0.39	0.36	0.38	0.01	0.07	-0.2
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

2.0	4%	52 sires
3.2	0	

Today's rams average	63	145.8	0.18	0.31	-0.3	0.3	8.5	12.8	13.3	12.4	-0.4	0.8	-51	-39	-0.5	4.0	0	-1
Maternal percentile average	50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1

Top 5% yellow, top 10% grey, top 30 % bold type.



page 47			REPRODUCTION TRAITS										PHENOTYPE									
			ADDITIONAL INFORMATION										PHENOTYPE									
				Purchaser	Price	Conception	Litter Size		Rearing Ability			WOOL	FACE		NOSE	FEET		LEGS	BACK	CRUTCH	Dam	Curve
LOT			CON	YCON	LS	YLS	ERA	YERA	MBS	SHED	COV	JAW	PIG	PIG				SHED	Age	BEND		
501			0.05	0.39	0.14	0.17	0.03	0.07	-0.1	-0.1	1	1	5	5	2	2	2	0.4	3	-12%		
502			0.04	0.34	0.23	0.30	0.02	0.07	-0.2	-0.1	2	2	5	5	1	2	2	0.1	3	-4%		
503			0.05	0.35	0.28	0.34	0.03	0.06	-0.2	-0.3	1	1	5	1	1	1	1	-0.4	2	9%		
504			0.04	0.41	0.23	0.33	0.04	0.08	0.1	-0.4	1	1	4	4	2	2	2	0.2	7	-35%		
505			0.04	0.41	0.21	0.27	0.03	0.08	0.1	-0.8	1	1	5	4	2	2	2	0.3	2	-8%		
506			0.05	0.33	0.28	0.30	0.02	-0.01	-0.3	-1.2	1	2	4	3	2	2	2	-0.5	3	-5%		
507			0.04	0.30	0.22	0.24	0.00	0.04	0.0	0.0	1	1	5	5	1	1	1	0.1	4	-20%		
508			0.04	0.33	0.15	0.17	0.04	0.05	0.0	-0.2	2	1	5	4	1	1	1	0.2	2	-10%		
509			0.04	0.32	0.25	0.30	0.02	0.03	-0.1	-0.7	1	1	5	5	2	1	1	-0.1	5	-6%		
510			0.05	0.28	0.24	0.25	0.01	0.03	-0.1	-0.6	1	1	5	4	2	2	2	0.3	1	13%		
511			0.03	0.33	0.19	0.25	0.03	0.04	-0.2	-0.4	1	2	4	4	2	2	2	-0.5	3	-26%		
512			0.05	0.33	0.30	0.32	0.02	0.02	-0.2	-0.2	1	1	4	5	2	1	1	0.3	3	5%		
513			0.04	0.32	0.30	0.33	0.01	0.04	-0.1	-0.7	1	1	5	2	2	1	1	0.0	3	9%		
514			0.03	0.33	0.19	0.18	0.04	0.06	0.1	-0.2	1	1	3	4	1	1	1	0.1	4	-1%		
515			0.03	0.32	0.10	0.15	0.03	0.06	0.0	0.0	1	1	4	5	1	2	2	0.2	3	-15%		
516			0.03	0.33	0.23	0.30	0.02	0.05	0.0	-0.6	1	1	5	4	2	1	1	0.0	7	-9%		
517			0.05	0.33	0.23	0.25	0.02	0.01	-0.2	-1.7	1	1	5	5	1	1	1	-0.4	1	-10%		
518			0.03	0.28	0.24	0.31	0.01	0.03	-0.1	-0.4	1	2	5	5	2	2	2	-0.1	3	2%		
519			0.05	0.38	0.29	0.29	0.01	0.02	-0.1	-1.2	1	1	3	3	2	2	2	-0.3	4	-2%		
520			0.02	0.28	0.26	0.31	0.02	0.05	-0.1	-0.7	1	1	5	5	1	1	1	-0.3	1	-19%		
521			0.03	0.25	0.19	0.15	0.03	0.04	0.0	-0.5	1	1	5	5	2	1	1	-0.1	4	-4%		
522			0.02	0.24	0.23	0.26	0.00	0.03	0.0	0.0	1	1	5	4	2	1	1	0.3	1	-1%		
523			0.03	0.25	0.35	0.38	0.00	0.04	-0.2	-0.2	1	1	2	3	3	2	2	-0.2	2	-9%		
524			0.04	0.32	0.19	0.21	0.02	0.07	-0.1	-0.4	1	1	5	5	1	2	2	0.2	4	6%		
525			0.05	0.31	0.14	0.16	0.03	0.04	0.0	-0.7	1	1	3	5	2	2	2	0.5	4	2%		

0.02	0.20	0.16	0.19	0.02	0.03	0.0
0.04	0.27	0.14	0.17	0.02	0.04	-0.1


-0.7

-0.4

2.7	4%	43 sires
3.2	0	

63	145.8	0.18	0.31	-0.3	0.3	8.5	12.8	13.3	12.4	-0.4	0.8	-51	-39	-0.5	4.0	0	-1
50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1
Todays rams average																	
Maternal percentile average																	

Top 5% yellow, top 10% grey, top 30 % bold type.



page 49			REPRODUCTION TRAITS										PHENOTYPE									
			ADDITIONAL INFORMATION										PHENOTYPE									
			Purchaser		Price	Conception		Litter Size		Rearing Ability			WOOL	FACE	JAW	NOSE		FEET	LEGS	BACK	CRUTCH	Dam
LOT			CON	YCON	LS	YLS	ERA	YERA	MBS	SHED	COV				PIG	PIG				SHED	Age	BEND
526			0.05	0.29	0.22	0.23	0.02	0.04	-0.1	-0.8	1	1	5	5	1	2			2	-0.1	3	4%
527			0.03	0.22	0.34	0.38	0.01	0.00	0.0	-0.5	1	2	4	5	2	1			1	0.2	2	12%
528			0.02	0.27	0.19	0.20	0.01	0.03	0.0	-0.5	1	1	5	5	2	2			2	-0.4	1	1%
529			0.02	0.24	0.27	0.27	0.01	0.04	0.0	-0.9	1	2	5	5	1	2			2	-0.8	2	-28%
530			0.03	0.23	0.18	0.26	0.02	0.03	-0.3	-0.1	1	1	5	5	2	1			1	0.2	2	8%
531			0.02	0.28	0.24	0.29	0.02	0.04	-0.3	-0.9	1	2	5	4	1	2			2	-0.4	4	3%
532			0.02	0.32	0.20	0.24	0.01	0.04	-0.2	-0.8	1	1	3	5	1	1			1	0.0	4	-10%
533			0.03	0.30	0.29	0.34	0.02	0.04	-0.2	-0.6	1	2	5	3	1	1			1	-0.3	5	-7%
534			0.04	0.25	0.09	0.13	0.03	0.05	0.0	-0.3	2	1	5	3	2	1			1	0.1	3	-3%
535			0.04	0.31	0.33	0.35	0.01	-0.01	-0.2	-1.8	1	2	4	4	2	3			3	-0.4	3	1%
536			0.03	0.34	0.18	0.19	0.03	0.04	0.0	-0.5	1	1	5	5	1	1			1	-0.2	5	5%
537			0.04	0.31	0.30	0.32	0.01	-0.01	-0.3	-1.1	1	1	5	5	1	1			1	0.0	3	3%
538			0.02	0.24	0.12	0.14	0.03	0.07	-0.1	-0.4	1	2	5	1	1	1			1	-0.1	3	-8%
539			0.02	0.36	0.16	0.20	0.04	0.07	-0.2	0.0	2	1	4	4	2	3			3	-0.3	2	8%
540			0.03	0.24	0.16	0.20	0.02	0.04	-0.1	-0.7	1	1	1	3	1	2			2	-0.6	3	-28%
541			0.03	0.29	0.17	0.20	0.03	0.05	-0.1	-0.2	1	1	3	4	1	1			1	0.0	1	2%
542			0.03	0.22	0.18	0.17	0.02	0.04	-0.1	-0.8	1	2	5	5	1	1			1	0.2	2	-8%
543			0.03	0.38	0.09	0.14	0.05	0.07	-0.3	-0.5	1	1	5	3	2	2			2	-0.1	3	13%
544			0.03	0.29	0.08	0.14	0.03	0.05	-0.3	0.2	1	2	5	5	1	2			2	-0.2	1	8%
545			0.02	0.25	0.23	0.26	0.01	0.04	-0.2	-0.3	1	1	5	4	2	1			1	-0.5	3	-37%
546			0.03	0.23	0.29	0.31	0.00	0.03	-0.1	-0.3	2	1	5	5	1	1			1	-0.3	2	-6%
547			0.04	0.30	0.16	0.19	0.02	0.05	-0.1	-0.6	1	1	5	4	1	2			2	-0.3	1	-38%
548			0.04	0.30	0.17	0.20	0.03	0.04	-0.1	-0.7	1	1	5	3	2	2			2	-0.6	5	-8%
549			0.04	0.29	0.17	0.18	0.03	0.04	-0.1	-0.1	1	2	5	3	1	2			2	0.0	2	8%
550			0.02	0.23	0.24	0.25	0.01	-0.01	-0.2	-1.5	1	1	5	5	2	2			2	-0.2	2	-3%

0.02	0.20	0.16	0.19	0.02	0.03	0.0
0.04	0.27	0.14	0.17	0.02	0.04	-0.1


-0.7

-0.4

2.7	4%	43 sires
3.2	0	

Today's rams average	63	145.8	0.18	0.31	-0.3	0.3	8.5	12.8	13.3	12.4	-0.4	0.8	-51	-39	-0.5	4.0	0	-1
Maternal percentile average	50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1

Top 5% yellow, top 10% grey, top 30 % bold type.



page 51			REPRODUCTION TRAITS										PHENOTYPE									
			ADDITIONAL INFORMATION										PHENOTYPE									
			Purchaser		Price	Conception		Litter Size		Rearing Ability		WOOL		FACE	JAW	PIG	NOSE	FEET	LEGS	BACK	CRUTCH	Dam
LOT			CON	YCON	LS	YLS	ERA	YERA	MBS	SHED	COV								SHED	AGE	BEND	
551			0.04	0.30	0.17	0.20	0.03	0.04	-0.1	-0.7	1	1	1	5	2	2	2	2	2	-0.6	5	1%
552			0.01	0.15	0.09	0.13	0.02	0.01	-0.2	-0.5	1	1	1	4	4	1	2	2	2	-0.1	2	-22%
553			0.03	0.32	0.19	0.21	0.02	0.04	-0.1	-2.0	1	1	1	2	4	2	2	2	2	-0.2	4	-3%
554			0.02	0.16	0.22	0.24	0.01	-0.01	-0.1	-0.3	1	1	1	4	3	2	2	2	2	0.5	2	-10%
555			0.02	0.26	0.08	0.15	0.03	0.07	-0.2	-1.2	1	2	2	5	5	2	2	2	2	0.1	1	-5%
556			0.03	0.25	0.20	0.24	0.01	0.03	-0.2	-1.2	1	2	2	5	4	2	3	3	3	-0.5	5	10%
557			0.03	0.23	0.17	0.18	0.03	0.03	0.0	-1.0	1	1	1	4	3	2	1	2	1	-0.3	3	3%
558			0.02	0.31	0.17	0.20	0.04	0.08	0.1	-0.4	1	1	1	5	4	2	2	2	2	-0.2	1	5%
559			0.01	0.16	0.08	0.14	0.02	0.02	-0.1	-1.9	2	2	2	4	5	2	2	2	2	-0.9	1	-21%
560			0.03	0.27	0.31	0.33	0.02	0.02	-0.1	-0.3	2	2	1	4	5	1	1	1	1	0.2	6	0%
561			0.02	0.27	0.18	0.23	0.01	0.04	-0.1	-1.0	1	2	2	4	4	1	1	1	1	-0.2	1	-13%
562			0.02	0.24	0.23	0.27	0.01	0.04	-0.2	-0.3	1	1	1	5	5	2	2	2	2	-0.5	3	-20%
563			0.03	0.21	0.10	0.15	0.03	0.06	0.0	-1.0	1	2	2	5	5	1	2	2	2	-0.8	2	-6%
564			0.02	0.20	0.10	0.15	0.02	0.02	0.1	-0.5	1	1	1	5	5	1	1	1	1	-0.2	2	-12%
565			0.02	0.29	0.29	0.31	0.02	0.04	-0.1	-0.7	1	1	1	3	4	2	2	2	2	-0.4	4	1%
566			0.04	0.19	0.20	0.20	0.01	-0.01	0.0	-0.1	1	2	2	5	4	2	2	2	2	0.2	2	1%
567			0.04	0.27	0.23	0.25	0.03	0.04	-0.1	-0.3	1	1	1	3	4	1	2	2	2	-0.1	6	9%
568			0.03	0.28	0.19	0.20	0.03	0.04	-0.1	-0.1	1	1	1	4	5	1	1	1	1	0.0	2	10%
569			0.03	0.24	0.05	0.11	0.04	0.03	0.0	-1.1	1	2	2	5	3	2	2	2	2	-0.6	2	-23%
570			0.03	0.27	0.16	0.19	0.03	0.04		-0.4	1	1	1	5	5	2	2	2	2	-0.2	1	9%
571			0.01	0.13	0.19	0.21	0.01	0.01	0.0	-1.7	1	1	1	5	4	2	3	3	3	-0.8	1	-8%
572			0.00	0.13	0.17	0.18	0.01	0.03	0.1	-1.0	1	2	2	2	5	2	2	2	2	-0.8	2	-24%
573			0.03	0.27	0.19	0.23	0.02	0.02	0.0	-0.1	1	1	1	3	5	2	2	2	2	-0.3	2	6%
574			0.02	0.18	0.11	0.16	0.02	0.04	-0.1	-1.1	1	1	1	3	4	1	2	2	2	-0.7	3	-45%
575			0.03	0.20	0.24	0.26	0.02	0.02	-0.1	-0.8	1	1	1	5	3	1	2	2	2	0.1	1	-2%

0.02	0.20	0.16	0.19	0.02	0.03	0.0
0.04	0.27	0.14	0.17	0.02	0.04	-0.1


-0.7

-0.4

2.7	4%	43 sires
3.2	0	

63	145.8	0.18	0.31	-0.3	0.3	8.5	12.8	13.3	12.4	-0.4	0.8	-51	-39	-0.5	4.0	0	-1
50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1
Today's Rams average																	
Maternal percentile average																	

Top 5% yellow, top 10% grey, top 30 % bold type.



REPRODUCTION TRAITS

PHENOTYPE

LOT	Purchaser	Price	Conception		Litter Size			Rearing Ability			WOOL		FACE		NOSE		FEET		CRUTCH		Dam	Curve	SIRE	LOT
			CON	YCON	LS	YLS	ERA	YERA	MBS	SHED	COV	JAW	PIG	PIG	LEGS	BACK	SHED	Age	BEND					
576			0.03	0.24	0.18	0.18	0.02	0.04	0.0	-0.6	1	1	3	4	2	1	-0.7	5	13%	238545	576			
577			0.03	0.24	0.24	0.21	0.02	0.04	-0.1	-0.3	1	1	5	5	2	2	-0.1	2	1%	237903	577			
578			0.03	0.20	0.24	0.26	0.01	0.02	-0.2	-1.7	1	1	1	5	2	2	-0.8	1	3%	238487	578			
579			0.03	0.21	0.11	0.15	0.03	0.04	0.0	-0.7	1	1	5	5	2	3	-0.6	7	-11%	238545	579			
580			0.01	0.18	0.17	0.20	0.01	0.01	-0.1	-1.9	1	1	5	5	2	1	-0.6	1	-8%	238327	580			
581			0.04	0.29	0.20	0.20	0.02	0.03	-0.1	-0.3	1	2	4	5	2	1	0.1	3	19%	239480	581			
582			0.02	0.24	0.22	0.26	0.01	0.02	-0.1	-0.9	1	1	5	5	1	1	-0.1	1	-10%	238365	582			
583			0.03	0.23	0.12	0.12	0.02	0.04	-0.1	-0.4	1	1	4	5	1	1	0.1	4	-8%	237903	583			
584			0.00	0.12	0.15	0.17	0.00	0.04	-0.1	-0.7	1	1	5	4	2	2	-0.8	2	-29%	237282	584			
585			0.04	0.26	0.18	0.21	0.02	0.02	0.0	-0.4	1	2	2	5	2	2	-0.3	2	9%	238545	585			
586			0.02	0.19	0.13	0.17	0.02	0.04	0.0	-0.9	1	1	3	4	2	2	-0.8	3	-13%	228692	586			
587			0.02	0.26	0.24	0.26	0.01	0.01	-0.1	-1.3	1	1	5	5	2	2	-0.7	1	14%	238328	587			
588			0.02	0.17	0.13	0.16	0.01	0.02	0.0	-1.5	1	1	5	5	1	1	-0.5	1	-12%	238905	588			
589			0.04	0.26	0.21	0.21	0.01	0.04	-0.1	-0.4	1	2	3	5	1	2	-0.5	2	24%	237903	589			
590			0.01	0.11	0.16	0.17	0.00	0.03	0.0	-0.3	1	2	5	3	2	2	-0.4	3	-6%	237835	590			
591			0.03	0.24	0.16	0.16	0.02	0.06	0.0	-0.3	1	1	5	4	1	2	0.2	3	-1%	237903	591			
592			0.01	0.18	0.17	0.22	0.02	0.03	0.0	-1.0	1	1	1	4	1	2	-0.7	4	-4%	237661	592			
593			0.03	0.25	0.08	0.11	0.04	0.06	-0.1	-0.6	1	1	5	2	1	2	-0.6	3	-12%	228692	593			
594			0.00	0.11	0.11	0.13	0.02	0.03	0.1	-1.3	1	1	5	5	1	2	-0.5	2	-13%	228888	594			
595			0.00	0.22	0.28	0.31	0.02	0.05	0.0	-0.6	1	1	5	5	2	1	-0.5	2	23%	238447	595			
596			0.01	0.17	0.17	0.20	0.01	0.03	0.0	-0.5	1	1	5	1	1	1	-0.7	3	-19%	238268	596			
597			0.02	0.19	0.20	0.22	0.02	0.02	-0.1	-0.3	1	2	4	5	2	2	-0.5	3	-10%	237115	597			
598			0.03	0.28	0.14	0.16	0.03	0.05	-0.1	-0.2	1	1	3	4	2	1	0.1	4	-3%	237115	598			
599			0.03	0.25	0.21	0.24	0.01	0.04	0.0	0.0	1	2	5	5	1	1	-0.1	*	-19%	237484	599			
600			0.03	0.28	0.17	0.18	0.02	0.03	0.0	-0.4	1	1	5	4	2	1	-0.2	5	6%	238545	600			

0.02	0.20	0.16	0.19	0.02	0.03	0.0
0.04	0.27	0.14	0.17	0.02	0.04	-0.1


-0.7

-0.4

2.7	4%	43 sires
3.2	0	

Today's rams average	63	145.8	0.18	0.31	-0.3	0.3	8.5	12.8	13.3	12.4	-0.4	0.8	-51	-39	-0.5	4.0	0	-1
Maternal percentile average	50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1

Top 5% yellow, top 10% grey, top 30 % bold type.



REPRODUCTION TRAITS

PHENOTYPE

ADDITIONAL INFORMATION

LOT	Purchaser	Price	Conception		Litter Size		Rearing Ability				WOOL		FACE		NOSE		FEET		CRUTCH		Dam	Curve	SIRE	LOT
			CON	YCON	LS	YLS	ERA	YERA	MBS	SHED	COV	JAW	PIG	PIG	LEGS	BACK	SHED	Age	BEND					
601			0.02	0.23	0.20	0.24	0.02	0.01	-0.1	-0.4	1	1	5	3	2	1	1	3	2	-0.4	3	9%	228775	601
602			0.03	0.20	0.21	0.22	0.01	-0.01	-0.1	-1.1	1	2	5	5	2	1	1	5	2	-0.5	1	7%	238327	602
603			0.03	0.25	0.12	0.12	0.03	0.04	0.1	-0.3	1	1	3	5	2	2	1	3	2	-0.3	3	1%	237903	603
604			0.03	0.18	0.11	0.12	0.02	0.03	0.0	-1.0	1	1	4	2	2	2	1	4	2	-0.7	2	-1%	228692	604
605			0.01	0.19	0.14	0.21	0.02	0.04	-0.1	-1.5	1	1	5	4	2	2	1	5	2	-0.3	1	-2%	238327	605
606			0.02	0.14	0.22	0.22	0.00	0.02	-0.2	-0.5	1	2	5	5	1	2	2	5	1	0.3	2	22%	236935	606
607			0.03	0.29	0.24	0.26	0.02	0.03	-0.2	-1.3	1	2	5	4	1	2	2	5	4	0.0	3	3%	228775	607
608			0.01	0.20	0.16	0.18	0.03	0.07	-0.1	-1.8	1	1	5	5	3	2	2	5	3	-0.8	1	-6%	23N113	608
609			0.01	0.18	0.15	0.17	0.02	0.06	0.0	-0.5	1	1	4	2	2	2	2	4	2	-0.7	3	-17%	228692	609
610			0.02	0.22	0.16	0.20	0.02	0.02	-0.1	-0.3	1	2	5	4	2	1	2	5	4	-0.3	1	-2%	238327	610
611			0.01	0.16	0.08	0.12	0.03	0.03	-0.1	-0.1	1	2	5	5	3	1	2	5	3	-0.4	1	-22%	238131	611
612			0.03	0.28	0.17	0.19	0.01	0.03	0.0	-0.6	1	2	4	3	2	3	2	4	3	-0.1	5	-7%	238268	612
613			0.04	0.30	0.27	0.28	0.01	0.01	-0.2	-0.2	1	1	4	5	1	1	1	4	5	0.3	1	24%	237927	613
614			0.02	0.22	0.08	0.15	0.03	0.05	-0.1	-0.8	1	2	5	4	1	2	2	5	4	0.2	2	13%	238447	614
615			0.02	0.21	0.15	0.19	0.02	0.03	-0.1	-0.7	1	2	5	5	1	2	2	5	5	-0.4	3	-12%	237115	615
616			0.01	0.21	0.08	0.12	0.03	0.05	-0.1	-0.6	1	2	5	5	2	1	2	5	5	-0.2	3	-11%	237115	616
617			0.00	0.15	0.12	0.17	0.02	0.03	0.0	-0.8	1	1	5	5	2	2	2	5	5	-0.7	1	5%	238328	617
618			0.00	0.12	0.15	0.17	0.00	0.04	-0.1	-0.7	1	1	3	5	2	2	2	3	5	-0.8	2	-30%	237282	618
619			0.03	0.23	0.13	0.15	0.02	0.02	-0.1	-1.0	1	1	4	4	1	2	2	4	4	-0.4	1	5%	238793	619
620			0.02	0.21	-0.01	0.02	0.03	0.07	-0.1	-0.9	1	2	3	5	2	1	1	3	5	-0.2	3	-5%	237903	620
621			0.02	0.22	0.09	0.12	0.03	0.04	0.0	-0.7	1	1	5	5	2	2	2	5	5	-0.5	2	-5%	228692	621
622			0.03	0.15	0.05	0.07	0.02	0.00	0.0	-0.4	1	2	5	2	2	2	2	5	2	-0.2	2	-11%	237315	622
623			0.02	0.20	0.11	0.15	0.02	0.02	0.1	-0.5	1	1	4	4	2	2	2	4	4	-0.7	2	-30%	237661	623
624			0.03	0.20	0.19	0.21	0.01	0.03	0.0	-0.2	1	1	5	4	2	2	2	5	4	0.0	2	6%	228692	624
625			0.01	0.20	0.10	0.12	0.02	0.04	0.1	-0.3	1	2	5	5	2	2	2	5	5	-0.6	2	-20%	237661	625

0.02	0.20	0.16	0.19	0.02	0.03	0.0
0.04	0.27	0.14	0.17	0.02	0.04	-0.1


-0.7

-0.4

2.7	4%	43 sires
3.2	0	

63	145.8	0.18	0.31	-0.3	0.3	8.5	12.8	13.3	12.4	-0.4	0.8	-51	-39	-0.5	4.0	0	-1
50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1
Today's Rams average																	
Maternal percentile average																	

Top 5% yellow, top 10% grey, top 30 % bold type.



REPRODUCTION TRAITS

PHENOTYPE

LOT	Purchaser	Price	Conception				Litter Size				Rearing Ability				WOOL	FACE	NOSE	FEET	LEGS	BACK	CRUTCH	Dam	Curve	SIRE	LOT
			CON	YCON	LS	YLS	ERA	YERA	MBS	SHED	COV	JAW	PIG	PIG	SHED	AGE	LEG	LEG	LEG	LEG	LEG	LEG	LEG	LEG	LEG
626			0.01	0.11	0.16	0.17	0.00	0.03	0.0	-0.3	1	2	3	4	2	2	2	2	2	2	2	2	2	237835	626
627			0.02	0.22	0.16	0.21	0.02	0.03	0.0	-0.3	1	1	2	4	1	2	2	2	2	2	2	2	2	228692	627
628			0.04	0.27	0.21	0.24	0.03	0.04	-0.3	-0.5	1	1	3	5	1	1	1	1	1	1	1	1	1	237115	628
629			0.01	0.20	0.12	0.17	0.02	0.04	0.0	-0.5	1	1	3	1	2	2	2	2	2	2	2	2	2	238268	629
630			0.01	0.08	0.13	0.14	0.01	0.01	0.2	-1.7	1	1	5	4	1	2	2	2	2	2	2	2	2	228006	630
631			0.01	0.23	0.16	0.19	0.02	0.04	0.0	-0.6	1	2	5	5	2	1	1	1	1	1	1	1	1	237021	631
632			0.01	0.13	0.15	0.18	0.01	0.02	0.1	-0.6	1	2	4	1	2	1	1	1	1	1	1	1	1	237661	632
633			0.02	0.24	0.12	0.16	0.02	0.05	-0.1	-0.1	1	1	2	5	1	1	1	1	1	1	1	1	1	228692	633
634			0.00	0.04	0.17	0.16	0.00	0.01	0.1	-2.3	1	1	5	3	2	2	2	2	2	2	2	2	2	228006	634
635			0.02	0.17	0.24	0.27	0.01	0.03	-0.1	-0.7	1	1	5	5	2	2	2	2	2	2	2	2	2	237115	635
636			0.02	0.16	0.16	0.15	0.00	0.01	0.2	-0.5	1	1	5	5	2	2	2	2	2	2	2	2	2	237661	636
637			0.01	0.12	0.12	0.17	0.01	0.01	0.1	-1.1	1	1	4	5	1	2	2	2	2	2	2	2	2	237661	637
638			0.01	0.10	0.15	0.14	0.01	0.01	-0.1	-1.2	1	1	4	5	2	1	1	1	1	1	1	1	1	228006	638
639			0.03	0.16	0.21	0.23	0.01	-0.01	-0.1	-0.6	1	1	3	4	1	2	2	2	2	2	2	2	2	228775	639
640			0.02	0.23	0.17	0.21	0.02	0.06	0.0	-0.3	1	1	3	5	1	2	2	2	2	2	2	2	2	228692	640
641			0.01	0.09	0.19	0.21	0.01	0.00	0.0	-0.9	1	1	4	3	1	1	1	1	1	1	1	1	1	228006	641
642			0.00	0.20	0.19	0.23	0.01	0.05	-0.1	-1.7	1	1	5	5	2	2	2	2	2	2	2	2	2	238327	642
643			0.01	0.12	0.22	0.23	-0.01	0.01	0.0	-0.5	1	2	5	3	1	1	1	1	1	1	1	1	1	228006	643
644			0.01	0.20	0.13	0.17	0.02	0.03	0.0	-0.8	1	1	3	4	2	2	2	2	2	2	2	2	2	228692	644
645			0.02	0.22	0.08	0.11	0.03	0.04	0.0	-0.3	1	1	5	5	2	2	2	2	2	2	2	2	2	228692	645
646			0.03	0.21	0.22	0.20	0.00	0.02	-0.1	0.2	1	2	5	1	2	2	2	2	2	2	2	2	2	237927	646
647			0.04	0.25	0.26	0.26	0.01	0.01	-0.3	-0.3	1	1	5	5	2	1	1	1	1	1	1	1	1	228775	647
648			0.02	0.15	0.09	0.12	0.01	0.02	0.0	-0.7	1	1	5	5	1	2	2	2	2	2	2	2	2	237315	648
649			0.03	0.29	0.24	0.26	0.02	0.03	-0.2	-0.9	1	1	5	4	2	1	1	1	1	1	1	1	1	228775	649
650			0.03	0.19	0.17	0.19	0.01	0.01	0.0	-1.2	1	1	4	5	2	3	3	3	3	3	3	3	3	238328	650

0.02	0.20	0.16	0.19	0.02	0.03	0.0
0.04	0.27	0.14	0.17	0.02	0.04	-0.1


-0.7

2.7	4%	43 sires
3.2	0	

-0.4

63	145.8	0.18	0.31	-0.3	0.3	8.5	12.8	13.3	12.4	-0.4	0.8	-51	-39	-0.5	4.0	0	-1
50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1
Today's Rams average																	
Maternal percentile average																	

Top 5% yellow, top 10% grey, top 30 % bold type.



REPRODUCTION TRAITS

ADDITIONAL INFORMATION

PHENOTYPE


LOT	Purchaser	Price	Conception		Litter Size		Rearing Ability			WOOL		FACE		NOSE		FEET		CRUTCH		Dam	Curve		LOT
			CON	YCON	LS	YLS	ERA	YERA	MBS	SHED	COV	JAW	PIG	PIG	LEGS	BACK	SHED	Age	BEND		SIRE		
651			0.02	0.23	0.13	0.15	0.03	0.05	-0.1	-0.4	1	1	3	5	1	2	3	3%	237903	651			
652			0.00	0.12	0.17	0.18	0.01	0.03	0.2	-0.7	1	1	4	4	1	1	4	-27%	228888	652			
653			0.02	0.21	0.19	0.16	0.01	0.01	0.0	-0.6	1	1	5	5	2	2	5	-11%	237021	653			
654			0.01	0.20	0.14	0.20	0.02	0.04	-0.1	0.1	1	2	5	5	2	2	5	3%	237958	654			
655			0.02	0.23	0.12	0.13	0.03	0.05	0.1	-0.7	1	1	3	5	1	2	3	0%	228692	655			
656			0.01	0.15	0.13	0.14	0.01	0.02	0.1	-1.7	1	1	5	3	2	2	5	-25%	228692	656			
657			0.02	0.17	0.18	0.19	0.01	0.02	0.1	-2.2	1	1	5	4	2	2	5	-12%	228006	657			
658			0.00	0.10	0.17	0.18	0.01	0.03	0.1	-0.3	2	1	3	3	1	2	3	-8%	236935	658			
659			0.02	0.20	0.23	0.23	0.01	0.01	0.0	-1.0	1	1	5	5	2	1	5	-8%	237021	659			
660			0.02	0.19	0.04	0.07	0.03	0.04	0.0	-1.8	1	1	3	5	2	1	3	-12%	237903	660			
661			0.03	0.28	0.18	0.18	0.02	0.03	0.0	-0.4	1	1	5	5	1	2	5	18%	238545	661			
662			0.03	0.23	0.14	0.17	0.03	0.05	-0.1	-0.9	1	1	4	4	2	2	4	12%	228692	662			
663			0.02	0.19	0.21	0.26	0.02	0.03	-0.3	-0.6	1	1	5	5	1	1	5	9%	237115	663			
664			0.03	0.19	0.22	0.24	0.01	-0.01	-0.1	-0.8	1	1	4	4	2	3	4	18%	238328	664			
665			0.03	0.18	0.07	0.10	0.03	0.03	-0.1	-1.5	1	1	2	5	2	1	2	8%	237903	665			
666			0.02	0.19	0.01	0.05	0.04	0.06	0.0	-1.4	1	1	5	4	2	2	5	-10%	237903	666			
667			0.00	0.13	0.05	0.08	0.02	0.05	0.0	-0.5	1	2	4	4	2	2	4	-2%	228888	667			
668			0.00	0.19	0.20	0.22	0.01	0.03	-0.1	-0.4	2	1	5	3	2	3	5	-16%	237021	668			
669			0.01	0.13	0.11	0.13	0.01	0.02	-0.1	-1.0	1	1	3	5	2	1	3	-17%	237724	669			
670			0.02	0.29	0.19	0.20	0.01	0.02	-0.1	-0.4	1	1	5	3	2	1	5	5%	238793	670			
671			0.02	0.18	0.15	0.18	0.02	0.04	-0.1	-0.4	1	2	3	4	1	2	3	2%	238268	671			
672			0.02	0.23	0.19	0.21	0.01	0.03	-0.2	-0.5	1	2	3	5	1	2	3	3%	238447	672			
673			0.03	0.19	0.14	0.13	0.02	0.03	-0.1	-0.2	1	1	3	5	1	1	3	24%	237903	673			
674			0.01	0.08	0.08	0.12	0.02	0.01	-0.1	-0.5	1	1	5	1	2	2	5	-10%	236935	674			
675			0.03	0.24	0.29	0.29	0.00	0.01	-0.1	-0.4	1	1	5	4	2	1	5	9%	228775	675			

0.02	0.20	0.16	0.19	0.02	0.03	0.0
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

-0.7

-0.4

2.7	4%	43 sires
3.2	0	



page 61			REPRODUCTION TRAITS										PHENOTYPE										
			ADDITIONAL INFORMATION										PHENOTYPE										
			WOOL	FACE	JAW	PIG	PIG	FEET	LEGS	BACK	CRUTCH	Dam	Curve	WOOL	FACE	JAW	PIG	PIG	FEET	LEGS	BACK	CRUTCH	Dam
LOT	Purchaser	Price	CON	YCON	LS	YLS	ERA	YERA	MBS	SHED	COV	SHED	COV	SHED	COV	SHED	COV	SHED	COV	SHED	COV	SHED	COV
676			0.01	0.18	0.01	0.05	0.02	0.04	0.1	-0.6	1	1	4	5	2	2	2	-0.3	2	-7%			
677			0.02	0.13	0.20	0.19	0.00	-0.01	0.0	-0.7	1	2	3	5	1	2	2	-0.3	3	-9%			
678			0.01	0.14	0.15	0.17	0.02	0.03	0.0	-0.8	1	2	3	5	2	3	3	-0.9	2	-23%			
679			0.02	0.24	0.08	0.12	0.02	0.03	0.0	-0.6	1	1	4	5	2	3	3	0.1	2	-26%			
680			0.03	0.23	0.29	0.29	0.00	0.00	-0.1	-0.4	1	2	4	4	2	2	2	0.4	4	11%			
681			0.02	0.20	0.05	0.10	0.03	0.04	0.1	-0.8	1	1	4	5	2	2	2	-0.6	6	1%			
682			0.00	0.13	0.17	0.16	0.01	0.03	-0.1	-1.9	1	1	5	4	2	1	1	-0.8	1	4%			
683			0.03	0.21	0.13	0.14	0.03	0.03	-0.1	-0.9	1	1	3	5	1	1	1	-0.2	5	-8%			
684			0.01	0.16	0.14	0.13	0.02	0.04	0.2	-0.6	1	1	3	4	2	2	2	-0.8	4	-23%			
685			0.03	0.21	0.06	0.08	0.03	0.07	-0.1	-0.5	1	1	4	5	2	1	1	-0.5	1	-21%			
686			0.03	0.16	0.11	0.14	0.01	0.00	-0.1	-0.7	1	1	4	4	2	2	2	-0.9	2	-11%			
687			-0.01	0.03	0.17	0.17	0.00	0.02	0.1	-0.4	1	1	5	5	2	2	2	-0.4	3	-9%			
688			0.00	0.07	0.26	0.25	-0.01	0.01	0.0	-1.1	1	1	4	5	1	1	1	-0.2	5	-11%			
689			0.00	0.13	0.18	0.21	0.01	0.03	0.0	-1.2	1	1	4	5	2	3	3	-0.9	3	-7%			
690			0.02	0.17	0.17	0.18	0.02	0.04	-0.1	-0.6	1	1	5	5	1	1	1	-0.6	1	2%			
691			0.03	0.27	0.11	0.17	0.03	0.04	-0.1	-0.7	1	1	4	5	2	2	2	-0.1	6	-16%			
692			-0.01	0.05	0.15	0.18	0.01	0.03	0.1	-0.7	2	1	4	4	2	3	3	-0.6	3	-15%			
693			0.01	0.19	0.17	0.21	0.02	0.03	0.1	-0.3	1	2	5	4	2	2	2	-0.5	3	8%			
694			0.02	0.22	0.07	0.08	0.03	0.03	0.0	-0.7	1	2	4	3	1	1	1	-1.0	6	-5%			
695			0.01	0.16	0.14	0.15	0.01	0.03	-0.1	-0.7	2	1	5	4	1	2	2	-0.7	2	-9%			
696			0.00	0.10	0.18	0.18	0.00	0.00	0.1	-0.7	1	1	4	3	2	2	2	-0.8	2	-5%			
697			-0.01	0.09	0.12	0.15	0.00	0.03	0.2	-1.2	1	1	2	4	1	2	2	-1.0	3	1%			
698			0.00	0.05	0.07	0.13	0.02	0.02	0.1	-1.0	1	1	1	5	2	2	2	0.0	2	-29%			
699			0.02	0.15	0.06	0.06	0.01	0.01	0.0	-0.7	1	2	3	5	2	1	1	-0.6	5	-3%			
700			0.01	0.13	0.09	0.11	0.02	0.04	0.1	-0.6	1	1	5	4	2	2	2	-0.9	2	12%			

0.02	0.20	0.16	0.19	0.02	0.03	0.0
0.04	0.27	0.14	0.17	0.02	0.04	-0.1


-0.7

-0.4

2.7	4%	43 sires
3.2	0	

63	145.8	0.18	0.31	-0.3	0.3	8.5	12.8	13.3	12.4	-0.4	0.8	-51	-39	-0.5	4.0	0	-1
50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1
Today's Rams average																	
Maternal percentile average																	

Top 5% yellow, top 10% grey, top 30 % bold type.



page 63			REPRODUCTION TRAITS										PHENOTYPE										
			ADDITIONAL INFORMATION										PHENOTYPE										
			WOOL	FACE	JAW	PIG	PIG	FEET	LEGS	BACK	CRUTCH	Dam	Curve	WOOL	FACE	JAW	PIG	PIG	FEET	LEGS	BACK	CRUTCH	Dam
LOT	Purchaser	Price	CON	YCON	LS	YLS	ERA	YERA	MBS	SHED	COV										SHED	AGE	BEND
701			0.03	0.27	0.07	0.09	0.03	0.04	0.0	-0.7	1	1	5	5	1	2	-1.4	1	10%				
702			0.02	0.19	0.11	0.11	0.02	0.02	-0.1	-0.9	1	1	5	4	1	1	-0.3	3	6%				
703			0.00	0.07	0.14	0.17	0.01	0.01	-0.1	-0.6	1	1	5	4	2	2	-0.7	3	-6%				
704			-0.01	0.05	0.08	0.11	0.02	0.04	0.3	-1.4	1	1	5	2	1	1	-0.4	2	-4%				
705			0.01	0.09	0.12	0.14	0.01	0.01	-0.2	-1.0	1	2	4	5	2	2	-0.8	2	-26%				
706			0.04	0.24	0.19	0.19	0.02	0.02	-0.2	-0.9	1	1	5	3	1	2	-0.6	5	8%				
707			0.00	0.13	0.10	0.12	0.02	0.03	-0.1	-0.2	1	1	5	5	2	1	-0.5	3	-6%				
708			0.03	0.21	0.17	0.16	0.03	0.01	-0.3	-1.0	1	2	5	5	2	2	0.3	4	4%				
709			0.00	0.06	0.09	0.08	0.01	0.03	0.3	-0.6	1	1	4	5	1	1	-0.8	4	-5%				
710			0.02	0.21	0.10	0.12	0.02	0.03	0.0	-0.8	1	2	4	4	1	1	-0.5	2	-25%				
711			0.00	0.07	0.12	0.14	0.00	0.02	0.1	-1.0	1	2	5	2	2	2	-0.7	2	-4%				
712			0.03	0.16	0.09	0.12	0.01	0.01	0.0	-0.6	1	2	5	3	1	1	-0.5	2	15%				
713			0.02	0.20	0.11	0.14	0.02	0.05	0.0	-0.5	1	2	3	3	2	2	-0.6	2	15%				
714			0.01	0.23	0.22	0.25	0.02	0.04	-0.2	-0.9	1	1	4	5	2	2	-0.7	3	5%				
715			0.03	0.18	0.14	0.16	0.02	0.01	0.1	-1.6	1	2	4	5	2	2	-0.9	1	17%				
716			0.01	0.12	0.15	0.16	0.02	0.03	-0.1	-1.1	1	1	5	4	1	2	-0.7	4	8%				
717			0.03	0.20	0.14	0.17	0.02	0.01	0.0	-1.0	1	2	5	4	2	2	-0.9	1	12%				
718			-0.01	0.05	0.16	0.14	0.00	0.01	0.3	-0.9	1	1	5	5	1	1	-0.8	2	-2%				
719			0.02	0.21	0.22	0.23	0.01	0.04	-0.1	-0.5	1	1	1	4	1	2	-0.6	3	-12%				
720			0.01	0.13	0.09	0.15	0.02	0.05	-0.1	-0.9	1	1	2	4	1	1	-1.0	4	8%				
721			-0.01	0.06	0.12	0.15	0.02	0.03	0.1	-1.6	1	1	5	5	2	2	-0.3	4	-27%				
722			0.01	0.10	0.10	0.11	0.01	0.02	0.1	-1.1	1	2	5	5	2	1	-0.5	2	-8%				
723			0.01	0.11	0.05	0.06	0.02	0.04	0.3	-0.8	1	1	5	5	2	1	-0.9	5	-10%				
724			0.01	0.12	0.10	0.12	0.02	0.00	-0.2	-0.3	1	1	5	5	2	2	-0.5	3	18%				
725			0.01	0.21	0.10	0.16	0.03	0.05	-0.1	-0.4	1	1	4	4	2	1	-0.8	2	-13%				

0.02	0.20	0.16	0.19	0.02	0.03	0.0
0.04	0.27	0.14	0.17	0.02	0.04	-0.1


-0.7

-0.4

2.7	4%	43 sires
3.2	0	

Today's Rams average	63	145.8	0.18	0.31	-0.3	0.3	8.5	12.8	13.3	12.4	-0.4	0.8	-51	-39	-0.5	4.0	0	-1
Maternal percentile average	50	150.1	0.19	0.41	0.2	0.4	7.8	11.8	12.4	12.4	-0.2	1.4	4	-40	-0.2	3.9	0	-1

Top 5% yellow, top 10% grey, top 30 % bold type.



page 65			REPRODUCTION TRAITS														
			Conception		Litter Size		Rearing Ability										
LOT	Purchaser	Price	CON	YCON	LS	YLS	ERA	YERA	MBS								
726			0.03	0.17	0.15	0.16	0.02	0.01	0.0								
727			0.03	0.14	0.10	0.12	0.02	0.00	0.1								
728			0.01	0.06	0.11	0.12	0.00	-0.02	0.1								
729			0.01	0.16	0.17	0.19	0.01	0.01	0.0								
730			0.01	0.12	0.20	0.19	0.00	0.02	0.0								
731			-0.02	0.07	0.11	0.13	0.01	0.02	0.3								
732			0.01	0.00	0.13	0.11	0.00	-0.02	0.1								
733			0.01	0.06	0.08	0.09	0.01	0.02	-0.1								
734			0.02	0.14	0.11	0.09	0.02	0.00	0.0								
735			0.02	0.19	0.22	0.23	0.01	0.01	0.0								
736			0.02	0.09	0.14	0.14	0.01	0.01	0.1								
737			-0.01	0.07	0.11	0.15	0.01	0.03	0.0								
738			-0.01	0.17	0.08	0.12	0.01	0.03	0.1								
739			0.00	0.13	0.24	0.25	0.01	0.02	0.1								
740			0.00	0.12	0.19	0.22	0.01	0.02	0.1								
741			0.00	0.07	0.13	0.15	0.01	0.02	0.2								
742			0.00	0.03	0.09	0.08	0.01	0.00	0.2								
743			0.00	0.06	0.12	0.13	0.01	0.02	0.3								
744			-0.01	0.05	0.12	0.11	0.01	0.03	0.2								
745			-0.02	0.05	0.09	0.12	0.01	0.03	0.4								
746			0.02	0.13	0.10	0.12	0.02	0.00	0.0								
747			0.01	0.14	0.24	0.25	0.00	0.02	0.0								
748			0.00	0.04	0.17	0.17	-0.01	-0.01	0.1								
749			0.00	0.06	0.15	0.17	0.01	0.00	0.0								
750			0.02	0.16	0.13	0.14	0.02	0.03	0.0								
											0.02	0.20	0.16	0.19	0.02	0.03	0.0
											0.04	0.27	0.14	0.17	0.02	0.04	-0.1

0.02	0.20	0.16	0.19	0.02	0.03	0.0
0.04	0.27	0.14	0.17	0.02	0.04	-0.1

-0.7

-0.4

2.7	4%	43 sires
3.2	0	

LOT	ID	Flk	DOB	%	LEQ	WR	Milk		PWWT	YWT	AWT	PFAT	PEMD	YGFW	PFEC	LDAG	LE		DAU	LOT
							YWR	MWWT									DIR	DAU		
761	246256	CP	13/08/2024	5	162.44	*	0.48	11.4	18.5	19.4	22.1	-1.0	3.7	*	-11	*	4.4	2	1	761
762	246238	CP	07/08/2024	5	162.13	*	0.28	8.3	14.6	13.8	15.3	-0.3	4.1	*	-28	*	3.0	2	1	762
763	246611	CP	16/08/2024	5	161.98	*	0.34	10.3	16.2	15.5	15.4	-0.5	4.1	*	-27	*	3.6	1	2	763
764	246562	CP	15/08/2024	5	161.33	*	0.25	12.6	19.3	17.2	20.5	0.1	4.9	*	-11	*	4.8	-1	0	764
765	246382	CP	04/08/2024	5	160.94	*	0.17	9.6	15.3	16.3	17.2	-0.5	3.7	*	-36	*	4.1	2	2	765
766	246308	CP	26/07/2024	5	160.48	*	0.27	10.7	17.8	20.9	23.0	-0.2	3.1	*	-51	*	4.8	2	1	766
767	246335	CP	29/07/2024	5	160.24	*	0.43	10.8	16.7	16.9	20.1	0.2	4.2	*	-34	*	3.8	2	1	767
768	246417	CP	06/08/2024	5	160.10	*	0.37	11.5	18.0	19.2	20.2	-0.6	3.3	*	-39	*	4.2	1	1	768
769	246550	CP	01/09/2024	10	159.94	*	0.38	10.0	16.6	16.7	18.5	-0.1	3.9	*	-40	*	3.8	1	1	769
770	246597	CP	16/08/2024	10	159.80	*	0.29	10.2	16.1	16.4	17.7	-0.4	3.7	*	-35	*	3.8	2	2	770
771	246679	CP	01/09/2024	10	159.71	*	0.33	11.2	18.3	20.0	23.4	0.3	4.3	*	-45	*	4.7	1	1	771
772	246487	CP	23/09/2024	10	159.33	*	0.25	11.2	16.9	16.8	19.0	0.2	4.5	*	-35	*	4.1	2	2	772
773	246631	CP	02/09/2024	10	158.45	*	0.25	10.7	15.8	16.3	18.9	-0.7	3.3	*	-45	*	4.5	2	1	773
774	246379	CP	03/08/2024	10	158.36	*	0.36	9.9	15.7	16.0	17.3	-0.1	4.0	*	-40	*	3.3	2	2	774
775	246680	CP	01/09/2024	10	158.32	*	0.39	10.1	15.6	15.6	19.0	0.0	4.0	*	-56	*	3.8	1	0	775
776	246367	CP	02/08/2024	10	158.22	*	0.18	9.5	15.8	16.3	17.7	0.1	3.7	*	-46	*	3.8	2	1	776
777	246522	CP	09/08/2024	10	157.59	*	0.27	8.9	15.2	19.2	21.3	0.5	4.1	*	-71	*	3.8	2	1	777
778	246406	CP	05/08/2024	10	157.42	*	0.30	9.3	15.1	16.2	18.3	0.5	3.7	*	-40	*	3.6	2	0	778
779	246272	CP	13/08/2024	10	157.39	*	0.18	11.0	18.6	21.3	24.4	0.8	4.9	*	-43	*	5.8	1	2	779
780	246535	CP	17/08/2024	10	157.18	*	-0.03	7.3	12.9	12.2	12.8	0.5	3.9	*	-47	*	3.1	2	1	780
781	246214	CP	25/07/2024	10	157.17	*	0.33	10.6	17.5	17.0	19.8	-0.4	3.0	*	-35	*	4.0	3	2	781
782	246242	CP	07/08/2024	10	156.98	*	0.33	8.8	15.0	15.4	16.3	0.5	4.3	*	-20	*	3.6	1	1	782
783	246240	CP	07/08/2024	10	156.79	*	0.34	10.4	16.8	16.7	17.9	0.6	3.8	*	-36	*	3.9	1	0	783
784	246236	CP	07/08/2024	10	156.66	*	0.22	9.1	14.9	16.7	18.6	0.1	4.3	*	-23	*	3.7	2	2	784
785	246344	CP	30/07/2024	10	156.64	*	0.08	11.1	18.9	21.2	24.1	0.0	3.5	*	-55	*	5.6	2	2	785

Today's rams average

Maternal percentile average

Top 5% yellow, top 10% grey, top 30 % bold type.

CARCASS TRAITS										PHENOTYPE									
LOT	Purchaser	Price	IMF	SHRF5	DRESS	LMY				ADDITIONAL INFORMATION AS RAW DATA									
										PELT	FACE	JAW	NOSE	FEET	BACK	Breech	Dam	Curve	
										SKIN	COV		PIG	PIG	LEGS	COV	Age	BEND	SIRE
761			-0.6	1.8	3.7	5.0	*	*	*	1	3	1	1	1	2	4	2	*	236592
762			-0.2	-1.3	3.3	3.8	*	*	*	1	3	2	1	4	2	5	*	*	221559
763			-0.4	2.1	3.8	4.8	*	*	*	1	3	1	2	1	2	5	*	*	236592
764			-0.9	2.6	4.5	5.3	*	*	*	2	3	1	1	2	1	5	2	*	220168
765			-0.2	1.1	3.3	3.8	*	*	*	1	3	1	1	2	2	4	3	*	236592
766			-0.1	-0.3	3.0	3.1	*	*	*	3	4	1	2	2	2	4	*	*	221559
767			-0.3	1.0	3.3	3.7	*	*	*	1	3	2	1	2	2	4	*	*	221559
768			-0.3	2.9	3.4	4.6	*	*	*	1	3	1	1	2	3	5	3	*	236592
769			-0.3	0.1	3.2	3.8	*	*	*	2	3	1	3	1	3	4	*	*	221559
770			-0.2	1.3	3.2	4.4	*	*	*	2	3	1	1	1	2	4	2	*	236592
771			-0.4	1.9	3.6	3.6	*	*	*	1	3	2	1	1	2	5	3	*	221559
772			-0.5	3.1	3.7	4.7	*	*	*	1	3	2	3	1	2	5	1	*	236850
773			-0.4	1.9	2.9	4.0	*	*	*	2	3	2	1	2	3	5	2	*	226994
774			-0.4	1.5	3.5	4.0	*	*	*	1	3	2	1	2	2	5	*	*	236592
775			-0.4	0.8	3.1	3.6	*	*	*	1	3	1	1	1	2	4	3	*	221559
776			-0.2	0.5	3.2	3.3	*	*	*	1	1	1	1	1	2	4	2	*	221559
777			-0.1	-0.9	3.0	2.2	*	*	*	1	1	1	1	2	2	4	2	*	221559
778			0.1	-0.8	3.0	2.6	*	*	*	1	3	1	1	1	2	5	*	*	221559
779			-0.4	1.7	3.5	3.1	*	*	*	1	2	1	1	2	1	4	2	*	220103
780			0.1	-1.4	3.1	2.6	*	*	*	1	2	1	1	2	2	4	3	*	211690
781			-0.3	1.2	3.1	3.9	*	*	*	1	3	1	1	5	2	4	*	*	221559
782			-0.1	-0.9	3.3	2.9	*	*	*	2	4	1	1	1	2	5	2	*	221559
783			-0.2	0.9	3.3	3.5	*	*	*	1	3	1	1	1	1	4	2	*	221559
784			-0.2	0.9	3.6	3.4	*	*	*	1	3	2	1	5	1	5	2	*	236592
785			-0.6	2.1	3.6	3.5	*	*	*	1	3	2	2	3	2	5	2	*	236772

-0.3	1.4	3.4	3.8
-0.4	1.8	2.4	3.2

LOT	ID	Flk	DOB	%		LEQ				Milk				AWT				YGFW	LDAG	LE		LOT
				Band	Index	WR	YWR	MWWT	BWT	WWT	PWWT	YWT	PFAT	PEMD	PFEC	PSC	DIR			DAU		
786	246480	CP	12/09/2024	10	156.50	*	*	*	0.13	8.5	14.3	14.9	17.0	0.2	4.3	*	-49	*	*	2	1	786
787	246644	CP	15/10/2024	10	156.41	*	*	*	0.17	10.4	16.8	18.6	21.0	0.3	4.4	*	-42	*	*	1	2	787
788	246471	CP	31/08/2024	10	156.35	*	*	*	0.22	10.7	16.3	17.9	19.7	-0.7	3.7	*	-32	*	5.0	1	1	788
789	246536	CP	17/08/2024	10	156.29	*	*	*	0.09	10.3	16.4	15.8	16.7	-0.2	3.8	*	-15	*	3.9	2	2	789
790	246606	CP	16/08/2024	10	156.13	*	*	*	0.17	9.6	14.3	13.1	15.4	0.6	4.0	*	-30	*	3.5	2	1	790
791	246361	CP	02/08/2024	10	155.85	*	*	*	0.23	10.9	16.7	18.1	19.8	-0.6	3.4	*	-40	*	3.9	2	2	791
792	246638	CP	23/08/2024	10	155.84	*	*	*	0.21	8.6	13.9	14.2	16.6	0.0	3.9	*	-27	*	3.4	2	2	792
793	246270	CP	13/08/2024	10	155.78	*	*	*	0.17	10.9	17.7	19.9	21.5	0.4	3.2	*	-67	*	4.9	3	2	793
794	246228	CP	07/08/2024	10	155.63	*	*	*	0.31	10.6	15.9	14.6	17.2	-0.5	3.4	*	-25	*	3.1	2	2	794
795	246526	CP	10/08/2024	10	155.60	*	*	*	0.24	10.9	16.3	15.3	16.3	-0.3	4.1	*	-18	*	3.7	2	3	795
796	246259	CP	13/08/2024	10	155.10	*	*	*	0.31	12.2	19.4	20.9	23.3	1.1	3.7	*	-52	*	6.1	0	1	796
797	246530	CP	10/08/2024	20	154.44	*	*	*	0.33	10.7	16.5	16.0	17.9	-0.7	3.5	*	-37	*	3.7	2	1	797
798	246223	CP	25/07/2024	20	154.28	*	*	*	0.06	11.2	17.9	18.0	19.8	-0.4	3.4	*	-54	*	5.4	2	2	798
799	246295	CP	14/08/2024	20	153.92	*	*	*	0.46	12.4	19.1	18.5	20.8	1.2	4.0	*	40	*	5.0	-1	-1	799
800	246342	CP	31/07/2024	20	153.77	*	*	*	0.10	10.0	15.7	15.0	16.0	-0.5	3.7	*	10	*	4.0	2	3	800
801	246235	CP	07/08/2024	20	152.74	*	*	*	0.19	10.5	16.8	16.6	18.4	-0.3	3.9	*	29	*	4.1	1	1	801
802	246515	CP	09/08/2024	20	151.85	*	*	*	0.17	11.0	17.6	17.8	19.6	-0.1	3.8	*	28	*	4.1	1	2	802

Todays rams average

10	157.4																					
50	138.9																					

Maternal percentile average

Top 5% yellow, top 10% grey, top 30 % bold type.

CARCASS TRAITS										PHENOTYPE									
LOT	Purchaser	Price	IMF	SHRF5	DRESS	LMY				ADDITIONAL INFORMATION AS RAW DATA									
										PELT	FACE	JAW	NOSE	FEET	BACK	Breech	Dam	Curve	
			SKIN	COV													Age	BEND	
786			1	3	*	3.2	*	*	*	1	3	1	1	2	1	4	2	*	SIRE
787			1	1	*	3.9	*	*	*	1	1	1	1	1	2	3	1	*	236607
788			1	3	*	4.0	*	*	*	1	3	1	1	4	3	5	2	*	236850
789			1	4	*	4.4	*	*	*	1	4	1	1	5	3	4	2	*	226994
790			1	3	*	3.0	*	*	*	1	3	2	1	2	3	5	3	*	236760
791			1	3	*	4.4	*	*	*	1	3	2	3	1	1	5	2	*	211690
792			1	3	*	3.3	*	*	*	1	3	1	1	2	3	5	*	*	236807
793			1	3	*	3.3	*	*	*	1	3	1	1	2	1	5	*	*	236592
794			1	3	*	2.7	*	*	*	1	3	2	1	1	2	4	*	*	211690
795			1	3	*	4.6	*	*	*	1	3	2	1	5	3	5	3	*	236592
796			1	3	*	4.9	*	*	*	1	3	1	1	1	2	5	2	*	236760
797			1	3	*	2.6	*	*	*	1	1	1	2	1	2	4	*	*	220103
798			1	3	*	4.8	*	*	*	1	3	2	1	1	2	5	3	*	236592
799			1	3	*	4.4	*	*	*	1	3	2	1	5	2	5	2	*	236772
800			2	3	*	3.1	*	*	*	2	3	1	1	2	3	5	3	*	220168
801			1	4	*	4.5	*	*	*	1	4	2	1	2	1	5	2	*	236760
802			1	3	*	4.5	*	*	*	1	3	1	1	5	3	5	*	*	236760
			1	3	*	4.3	*	*	*	1	3	1	1	2	2	5	2	*	236760

-0.3	1.4	3.4	3.8
-0.4	1.8	2.4	3.2

Report: Percentile Bands
Analysis: MATERNAL
Analysis date: 01/09/2025
Drop Year: 2024

Band	MCP+	WR	YWR	MWWT	BWT	WWT	PWT	YWT	AWT	PFAT	PEMD	YGPW	PWEC	LDAG	PSC	LE_DIR	LE_DTR	YERA	MBS
1	189.47	0.43	0.79	2.53	-0.02	12.62	18.47	19.72	20.24	1.71	3.46	23.19	-82.64	-0.74	6.6	2.05	1.53	0.1	-0.38
5	181.47	0.35	0.67	1.92	0.1	11.19	16.78	17.56	17.78	1.02	2.92	17.02	-72.14	-0.81	5.97	1.51	0.91	0.08	-0.31
10	175.61	0.32	0.52	1.56	0.18	10.47	15.73	16.42	16.5	0.71	2.53	14.09	-65.92	-0.52	5.59	1.2	0.52	0.07	-0.27
20	168.87	0.29	0.55	1.1	0.23	9.58	14.44	15.07	15.04	0.38	2.27	10.84	-58.07	-0.4	5.05	0.75	-0.02	0.06	-0.22
30	164.24	0.26	0.5	0.75	0.28	8.93	13.5	14.1	14.02	0.18	1.97	8.61	-51.79	-0.31	4.62	0.43	-0.46	0.05	-0.19
40	158.35	0.23	0.46	0.48	0.33	8.38	12.67	13.25	13.15	-0.02	1.7	8.48	-46.05	-0.23	4.25	0.11	-0.86	0.05	-0.17
50	150.88	0.19	0.41	0.2	0.38	7.81	11.84	12.44	12.37	-0.19	1.43	4.17	-40.21	-0.15	3.88	-0.2	-1.24	0.04	-0.14
60	143.55	0.15	0.37	-0.06	0.42	7.24	11	11.62	11.56	-0.35	1.13	1.59	-34.28	-0.08	3.52	-0.53	-1.68	0.04	-0.12
70	137.32	0.12	0.31	-0.32	0.47	6.62	10.05	10.77	10.87	-0.53	0.8	-1.76	-27.53	-0.03	3.13	-0.91	-2.22	0.03	-0.09
80	130.12	0.08	0.27	-0.63	0.53	5.86	8.91	9.7	9.57	-0.75	0.38	-6.5	-19.32	0.08	2.68	-1.4	-2.93	0.03	-0.05
90	117.78	0.04	0.21	-1.05	0.62	4.83	7.36	8.1	7.91	-1.04	-0.09	-25.09	-7.68	0.19	2.1	-2.15	-4.06	0.02	0.01

Report: Percentile Bands
Analysis: TERMINAL
Analysis date: 01/09/2025
Drop Year: 2024


Band	EQ	BWT	PWT	PEMD	PFAT	LMY	IMF	SHEARF5	DRESS	LE_DIR	CEMD	VWT
1	164.46	-0.51	21.32	4.65	1.5	5.39	0.56	-3.37	3.87	3.61	4.55	13.78
5	158.4	-0.34	19.53	3.93	0.93	4.69	0.19	-1.5	3.46	2.74	3.79	12.6
10	154.69	-0.13	18.6	3.55	0.65	4.35	0.06	-0.74	3.24	2.25	3.39	11.99
20	149.9	0.08	17.5	3.09	0.35	3.94	-0.09	0.16	2.97	1.63	2.91	11.3
30	146.01	0.18	16.71	2.76	0.14	3.65	-0.19	0.77	2.78	1.21	2.58	10.81
40	142.21	0.24	15.95	2.47	-0.03	3.4	-0.28	1.31	2.6	0.87	2.31	10.35
50	138.34	0.29	15.17	2.2	-0.18	3.16	-0.37	1.83	2.44	0.55	2.07	9.87
60	134.43	0.35	14.24	1.93	-0.33	2.9	-0.46	2.39	2.27	0.24	1.82	9.32
70	130.5	0.4	13.03	1.64	-0.48	2.61	-0.56	3.02	2.07	-0.09	1.56	8.59
80	126.22	0.46	11.51	1.3	-0.66	2.23	-0.68	3.8	1.83	-0.47	1.22	7.58
90	120.91	0.53	9.81	0.85	-0.9	1.65	-0.84	4.92	1.5	-1	0.74	6.29



LAMBPLAN Maternal Indexes

Maternal Carcase Production+ (MCP+)

The Maternal Carcase Production + (MCP+) index is similar to the Maternal Carcase Production (MCP) index, with the addition of both wool and worm egg count. This index targets self-replacing production systems where maintaining adult weight and fleece weights are seen as important at the same time as improving carcase traits. A slight increase in clean fleece weight is expected. This index aims to reduce WEC as it is assumed in the index most enterprises are located in high rainfall areas and/or high input management systems. The contribution of each trait to economic gain is expressed in the graph along with the predicted genetic gain over 10 years.



For more information contact Sheep Genetics

Ph: 02 8055 1818 Fax: 02 8055 1850

info@sheepgenetics.org.au www.sheepgenetics.org.au

Sheep Genetics is a joint program of Meat & Livestock Australia Limited ABN 39 081 678 364 and Australian Wool Innovation Limited ABN 12 095 165 558



Maternal indexes


A ram buyer's guide

Indexes help producers select animals for use within a breeding program when there are a range of traits of economic or functional importance, so that genetic gain in one trait is not made in isolation from other traits.

Using indexes in your ram purchasing decisions allows you to make balanced genetic progress towards more profitable sheep for your production system. A ram with a higher index will produce progeny that are more profitable.

Choosing the right index

The following flowchart helps producers determine the best index for their maternal production system:



How to use the chosen index to assist in purchasing decisions:

Before the sale:

1. Rank animals in the sale on the value of your chosen index.
2. Consider the individual ASBVs which are important to you to create a short list of rams to look at on sale day.

At the sale:

3. Look through your short list of rams to find the ones that meet your structural and type requirements.

Maternal Carcase Production (MCP)

The MCP index is for a self-replacing maternal operation with a carcase production focus where there is no mating to terminal sires. Consequently, MCP favours high early growth animals with good carcase and reproductive performance.

Typical trait changes with the MCP index include:


- increasing growth
- increasing adult weight
- increasing maternal weaning weight
- improving carcase traits
- increasing number of lambs weaned.

Figure 2 illustrates which traits are in the MCP index and how much they contribute to the overall balance of the index. The longer the bar, the greater the impact on the index, and the greater the impact on profitability.

A key feature of MCP is that it aims to maintain adult weight at current levels because bigger ewes have higher feed and animal handling costs. However it is difficult to achieve this in practice because bigger ewes also produce more lambs, which reach sale weight faster, so MCP makes a trade-off to achieve an optimal balance across all of these traits.

Consequently, figure 2 shows increasing adult weight making a negative contribution on the index. However, individual ram breeders who measure early growth, adult weight and reproduction will have greater control over the balance between these traits.

Figure 2: The traits in the MCP index and how they contribute to the overall balance of the index



Maternal Carcase Production Plus (MCP+)


MCP+ is also for a self-replacing maternal operation but differs from MCP in that some joining to terminal sires is allowed for. MCP is also suited to operations in high rainfall and/or high input management systems where internal parasites may cause significant economic losses.

Typical trait changes with the MCP+ index include:

- maintaining fleece weight
- increasing growth
- increasing adult weight
- increasing maternal weaning weight
- improving carcase traits
- reducing worm egg count
- increasing number of lambs weaned.












Figure 3 illustrates that trait contributions to the MCP+ index. MCP+ also aims to maintain adult weight at current levels to limit increasing ewe size. The trade-off seen with MCP in balancing early growth, mature size and reproduction is again evident. Furthermore, like MCP, ram breeders that have good measurement programs for all three traits will achieve greater control.

Figure 3: The traits in the MCP+ index and how they contribute to the overall balance of the index



Report: Genetic Trends
Analysis: MATERNAL
Analysis date: 01/09/2025
Flock code: 150099
Flock name: undefined




Total animals by drop



Reports are prepared using data supplied by breeders and/or accredited operators. We cannot guarantee the accuracy of this data. ASBV's are designed to estimate genetic merit of animals from the data supplied. The reports are provided to assist breeders but no liability is accepted for the outcome resulting from the use of this information.

Report: Genetic Trends
Analysis: MATERNAL
Analysis date: 01/09/2025
Flock code: CS0001
Flock name: undefined


Total animals by drop



Reports are prepared using data supplied by breeders and/or accredited operators. We cannot guarantee the accuracy of this data. ASBV's are designed to estimate genetic merit of animals from the data supplied. The reports are provided to assist breeders but no liability is accepted for the outcome resulting from the use of this information.

Report: Genetic Trends
Analysis: TERMINAL
Analysis date: 01/09/2025
Flock code: 235003
Flock name: undefined

Total animals by drop




Wool Growing Area

Wool Growing Area refers to the skin area that grows wool at some time through the year. In some seasons wool may not be present on some (or all) of that area. An animal with a score 1 does not grow wool on any part of the body, it is effectively a hair sheep. An animal with a score 5 grows wool over the entire body for at least part of the year, it may however shed some (or all) of this wool seasonally.

When to score: As part of an R&D project the preferred option is to score animals once each season (i.e. Winter, Spring, Summer, Autumn) with the first score being taken at the same time as the Weaning Weight (approximately 3 months).

How to score: A single score of 1, 2, 3, 4 or 5.

How to record: Record in visual traits with the trait code SH_WGA, along with the observation date and group code.

Score 1	Score 2	Score 3	Score 4	Score 5
 Animal Does not grow wool. 0% wool growing area 100% hair	 Animal grows a saddle of wool across shoulders and part way along the back. 25% wool growing area 75% hair	 Animal grows wool to approximately half way down the flank. Approximately 50% wool growing area	 Animal grows wool over most of body except for legs, belly and breech area. 75% wool growing area 25% hair	 Animal grows wool on all of body (excluding feet and head) for at least part of the year 100% wool growing area 0% hair

The shedding breeding values in this catalogue are not legally recognised as ASBVs, but research breeding values (RBVs).

They are provided in good faith and believed to be a better indicator of shedding ability than the "single view on the day" scores displayed in the past.

From a developing data set of 10,000 records involving repeat measurements, across different times of the year and from numerous management groups, we trust they will work well for you.

The median shedding score in this data is 2.5 which correlates to a shedding breeding value of approx. 0		
To remove wool select a negative value, ie -0.5	maintain wool 0	to increase wool cover, select a positive number. ie 0.5

Selection for low yearling greasy fleece weight (YGFW) may also be of help.

NATIONAL VENDOR DECLARATION (SHEEP AND LAMBS) AND WAYBILL

S0720

80968293

Part A - To be completed by the owner or person who is responsible for the husbandry of the sheep or lambs.

Owner of sheep or lambs: CASHMORE PARK

Property/place where the journey commenced: 114 WILMOTS RD, CASHMORE VIC 3305

Property Identification Code (PIC) of this property: 3GLVH185

This MUST be the PIC of the property that the stock is being moved from.

Description of sheep or lambs

Number	Year born (year)	Description (BREED, SEX & AGE, and other relevant details)	Months at shearing	PIC or Brand on Ear Tags (if different to the PIC above)	Remarks (if present or required)
540	2024	MAREKINGAL NUDE	JULY		
		TERMINAL	2025		
		RAMS			

540 Total

A. Have PICs on all of the NLIS tags only on sheep in this consignment been listed in the Description table above (other than the PIC printed on this NVD)? - Yes ☒ OR

B. Have all sheep in this consignment been tagged with an NLIS tag with the PIC printed on this NVD or the associated WA brand as listed in the description table above - Yes ☐ AND/OR

Number of electronic NLIS devices in this consignment: 540

Hours off feed and water before transporting: 12 HRS

Consigned to: PURCHASERS

Destination (if different) of sheep or lambs

Destination PIC (REQ: WA & TAS)

Details of other statutory documents relating to this movement e.g. health statement

Have these sheep or lambs been raised consistent with the rules of an independently audited QA program on the property the PIC of which is shown above?

Yes ☐ No ☒ If Yes, give details:

Have all the sheep or lambs in this consignment been treated with a Scabby Mouth Vaccination either at marking or at least 14 days prior to their presentation for sale?

Yes ☐ No ☒

Were all of these sheep or lambs bred by the owner or vendor?

Yes ☒ No ☐ If No, how long ago were the sheep or lambs obtained or purchased?

(If purchased at different times, list the date corresponding to the time of the most recent purchase.)

A. less than 2 months ☐ B. 2-6 months ☐ C. 6-12 months ☐ D. more than 12 months ☐

4. Are any of the sheep or lambs in this consignment still within a Withholding Period (WHP) or Export Slaughter Interval (ESI) as set by APVMA or SAFEMEAT, following treatment with any veterinary drug or chemical?

Yes ☐ No ☒ If Yes, give details:

5. In the past 60 days, have any of the sheep or lambs in this consignment consumed any material that was still within a withholding period when harvested, collected or first grazed?

Yes ☐ No ☒ If Yes, give details:

6. Have the sheep or lambs in this consignment ever in their lives been fed feed containing animal fats? (See Explanatory Notes)

Yes ☐ No ☒

7. Please include any additional information below eg. vaccination programs, animal health certification, additional declarations, etc.

RAISED WITHOUT ANTIBIOTICS

Declaration

I (full name): JOHN KELLER

AS ABOVE

declare that, I am the owner or the person responsible for the husbandry of the sheep or lambs and that all the information in part A of this document is true and correct.

I also declare that I have read and understood all the questions that I have answered, that I have read and understood the explanatory notes, and that, while under my control,

the sheep or lambs were not fed restricted animal material (including meat and bone meal) in breach of State or Territory legislation.

Signature: John R Keller Date: 18/9/2025

Tel no. 0409804638 Fax no.

Email: cashmoream@gmail.com

Part B - To be completed by the person in charge of the sheep or lambs while they are being moved.

Completion of this part is optional in SA and VIC.

Movement commenced: (am/pm)

Vehicle registration number(s):

I am the person in charge of the sheep or lambs during the movement and declare all the information in Part B is true and correct.

Signature Date: 18/9/2025 Tel no.

*When more than one truck is carrying the sheep or lambs, other vehicle registration numbers are to be reported.

NATIONAL SHEEP HEALTH DECLARATION

Completing this National Sheep Health Declaration (NSHD) will assist prospective buyers to make an informed decision about the health status and management history of these sheep. The NSHD is mandatory for all sheep movements in SA and for sheep being moved into NSW and Tasmania. It is voluntary in other states (Version 5, May 2017).

Property Identification Code (PIC) of this property: 3GLVH185

This MUST be the PIC of the property that the stock is being moved from

Attached to accompanying NVD/Waybill No. 80968293

SECTION A - BIOSECURITY INFORMATION

1. All consigned sheep were born on the consignment property. Yes ☒ No ☐

2. The number of different sources of sheep that have been INTRODUCED onto the consignment property in the last 5 years is:

0 (closed flock) ☐ 1-5 ☐ 6+ ☐ Rams Only ☒

3. All consigned sheep are from a property with a livestock biosecurity plan ⁽¹⁾.

If Yes, Property Plan ☒ Regional Biosecurity Plan ☐ (name)

4. Have the consigned sheep had access to weeds that are declared noxious in your region? ⁽²⁾

If yes, please provide further information.

SECTION B - FOOTROT/LICE/OVINE BRUCELLOSIS

1. All consigned sheep are from a flock that is free of VIRULENT FOOTROT ⁽³⁾.

Yes ☒ No ☐

2. All consigned sheep are from a flock that is free of LICE.

Yes ☒ No ☐

3. All consigned sheep are from a flock in an OVINE BRUCELLOSIS accreditation scheme.

Yes ☒ No ☐

If Yes, Flock Accreditation No. (except Qld) 3353 Expiry Date 31/3/2027

SECTION C - JOHNES DISEASE (JD)

1. (a) All consigned sheep are Approved Vaccinates ⁽⁴⁾.

Yes ☒ No ☐

(b) If Yes, I have been continuously vaccinating all retained lambs in the consignment flock against JD for years.

2. All consigned sheep are from a SheepMAP flock ⁽⁵⁾.

Yes ☐ No ☒

If yes, Status Year commenced in SheepMAP

3. All consigned lambs are NLIS 'T' tag (terminal) lambs ⁽⁶⁾.

Yes ☐ No ☒

4. JD is suspected or known to occur in the flock of the consigned sheep ⁽⁷⁾.

Yes ☐ No ☒

5. All consigned sheep are from a flock with a negative test for JD ⁽⁸⁾. If Yes, which test?

Faecal 350 within the past 24 months ☐ Abattoir 500 within the past 24 months ☐

Abattoir 150 within the past 12 months ☐ Other ⁽⁹⁾

6. Sheep INTRODUCED onto the consignment property in the last 5 years were from a flock with ^(4,5 and 8): (multiple answers may be applicable)

SheepMAP accreditation ☒ Negative Faecal 350 ☐

Negative Abattoir 500 ☐ Negative Abattoir 150 ☐

All Approved Vaccinates ☒ Unknown status ☐

Other ⁽¹⁰⁾

SECTION D. TREATMENT INFORMATION OF CONSIGNED SHEEP

Treatments	Product	Date of last treatment
External Parasite Treatment		
Internal Parasite Treatment	3XCOMBI DRENCH	25.7.2025
Vaccination (other than JD)	Sin1 & B12	25.7.2025

NATIONAL VENDOR DECLARATION (SHEEP AND LAMBS) AND WAYBILL

S0720

29183287

Part A To be completed by the owner or person who is responsible for the husbandry of the sheep or lambs.

Owner of sheep or lambs OAKLEY TRUST
 Property/place where the journey commenced OAKLEY
McLester Rd Kooragang
 Property Identification Code (PIC) of this property
SA120651
 Description of sheep or lambs

Number	Year born	Description	Months of shearing	PIC or Brand on Ear Tags	Remarks
250	2024	Composite Ram	Aug		
250	Total				

4. Are any of the sheep or lambs in this consignment still within a Withholding Period (WHP) or Export Slaughter Interval (ESI) as set by APVMA or SAFEMEAT, following treatment with any veterinary drug or chemical?
 Yes ☐ No ☒ If Yes, give details: (attach additional sheets as required)
 5. In the past 60 days, have any of the sheep or lambs in this consignment consumed any material that was still within a withholding period when harvested, collected or first grazed?
 Yes ☐ No ☒ If Yes, give details:
 6. Have the sheep or lambs in this consignment ever in their lives been fed feed containing animal fats? (See Explanatory Notes)
 Yes ☐ No ☒
 7. Please include any additional information below
 eg: vaccination programs, animal health certification, additional declarations, etc.
Ramson + Scabie guard, anti botic free

Declaration

I, D W PEGLER
PO Box 1018 Kooragang SA 5240
 declare that, I am the owner or the person responsible for the husbandry of the sheep or lambs and that all the information in part A of this document is true and correct.
 I also declare that I have read and understood all the questions that I have answered, that I have read and understood the explanatory notes, and that, while under my control, the sheep or lambs were not fed restricted animal material (including meat and bone meal) in breach of State or Territory legislation.
 Signature D W Pegler Date 18/9/2025
 Tel no. 0417851466 Fax no.
 Email pegler42bigpond.com

Part B To be completed by the person in charge of the sheep or lambs while they are being moved. Completion of this part is optional in SA and VIC.

Movement commenced: 18/9/2025 (am/pm)
 Vehicle registration number(s):
 I, D W Pegler, am the person in charge of the sheep or lambs during the movement and declare all the information in Part B is true and correct.
 Signature D W Pegler Date 18/9/2025 Tel no. 0417851466
 *When more than one truck is carrying the sheep or lambs, other vehicle registration numbers will be recorded.

NATIONAL SHEEP HEALTH DECLARATION

July 2019

Property Identification Code (PIC) of this property
 This MUST be the PIC of the property that the stock is being moved from
SA120651
 Attached to accompanying NVD/Waybill No.
29183287

SECTION A - Biosecurity Information

1. All consigned sheep are from a Livestock Production Assurance (LPA) accredited property? ☐ Y ☒ N
 2. The number of different sources of sheep that have been introduced onto the consignment property in the last 5 years is:
 0 (closed flock) ☐ 1-5 ☐ 6+ ☐ Rams Only ☒

SECTION B - Animal Health Information

3. All consigned sheep are from a flock that is free of virulent footrot? ☒ Y ☐ N
 4. All consigned sheep are from a flock that is free of benign footrot or scald? ☒ Y ☐ N
 5. All consigned sheep are from a flock that is free of lice? ☒ Y ☐ N
 6. All consigned sheep are from a flock in an ovine brucellosis accreditation scheme? ☒ Y ☐ N
 If Yes, Flock Accreditation No. (except Qld) Expiry Date
 7. All consigned sheep are John's disease (JD) Approved Vaccinates? ☒ Y ☐ N
 If Yes, I have been continuously vaccinating all retained lambs in the consignment flock against JD for years. (vaccinated lambs only)
 8. All consigned sheep are from a SheepMAR flock? ☐ Y ☒ N
 If Yes, Status Year commenced Certificate Number

9. All consigned sheep are from a flock with a negative test for JD? ☐ Y ☒ N
 If Yes, which test? Date of test
 10. Any other JD management practices carried out on the property?
All retained sheep vaccinated for 19 years
 11. Any other relevant health information

SECTION C - Treatment Information of Consigned Sheep

Treatment type	Product	Date of last treatment
External Parasite Treatment	<u></u>	<u></u>
Internal Parasite Treatment	<u>Zolvix Plus</u>	<u>Aug 25</u>
Other treatments	<u></u>	<u></u>
Vaccination (other than JD)	<u>6:1, Scabie guard</u>	<u>last marking</u>

Declaration (see explanatory notes for further information)

I, D W PEGLER
 (Full name)
PO Box 1018
 (Address)
Kooragang SA 5240
 (Town/village) (State) (Postcode)
 Tel. No. 0417851466 Email pegler42bigpond.com
 declare that, I am the owner and/or person responsible for the husbandry of the sheep in this consignment and all the information on this Sheep Health Declaration is true and correct.
 Signature D W Pegler Date 18/9/2025
 Producers are advised to retain appropriate records to support this declaration. Persons making false statements may be liable under fair trading and other relevant state legislation.

What's happening on the farm at Oaklea

The 2024 season brought on some real challenges and learnings for us, in particular the management of our younger ewes. They were put under the most pressure following on from their maiden season and in hindsight needed some extra care leading in to lambing. Having said that, the entire flock proved to be extremely resilient. Our commercial flock managed to rear lambs at 145% and 85% of the whether lambs were sold straight off mum at 135 days to dress at 24.6kg.

In February we purchased an extra 274 acres adjacent to our Pasfields block in Kongorong. This farm has a 21-ha pivot and is split into 11 paddocks with very good tree lines throughout. We will look to lamb the stud ewes down on the new farm and are expecting some improvements in the lambing conditions and an additional weight gain for the lambs. With the paddocks freed up at the home farm we have taken on an extra 240 trade heifers which we will look to move on at the end of the year.

Following on from last season's tight conditions, we were fortunate enough to receive decent rain from late July through to late October. This reset the paddocks well and we came into the new year with the livestock looking a lot fitter and healthier. The commercial flock's average weight at joining (2nd of Jan) was 74.95kg. These ewes turned themselves round exceptionally, given the fact that they weighed 66kg at scanning the previous year. They dropped an average of 3.2kg during joining and scanned at 181%. 2.6% were dry, 9% were triplets, 22.4% were singles and 66% were twins.

Having split the data into age groups it was quite evident of the pressure the last 18 months has been on our 2022 drops. On the back of their maiden year these ewes were really put through the ringer last season, and it showed up in their 2 yr old performance. Now into their third joining, they had a 159% scanning rate which directly relates to their condition which was 10 kg lighter than the 21 and 20 drop ewes; both groups scanned at 188%. See below for a break down of weights and scan results between the 3 main age groups within the flock.

Overall, we were pleasantly surprised with the scan results. Given that they are lambing in June, with no supplementary feeding (apart from flint rock!) and being run at 7.5 head/ha.

Roughly 800 stud ewes were single sire mated for 6 weeks from the 27th Jan and scanned at 181%. At joining they weighed an average of 65kg and at 68.5 at scanning. All sheep older than 2 yr old were condition scored and averaged 3.4 at joining and 3.2 at scanning. We have moved these animals to our new block to lamb there this season.

DROP	No Ewes	Preg Scan	%	Mate WT	Scan WT	GAIN
20,21,22	137	3	9%	82.7	80.3	-2.4
20,21,22	984	2	65%	77.1	74.5	-2.6
20,21,22	347	1	23%	73.4	69.4	-4.0
20,21,22	37	0	2.4%	68.5	63.6	-4.9
20,21,22	1505	1.81		76.6	73.6	-3.0
2020	587	1.90		80.9	77.2	-3.7
2021	547	1.86		77.0	75.1	-1.8
2022	371	1.59		69.1	65.6	-3.5

We joined 550 ewe lambs on the 20th March and they are being scanned in the coming days. Whilst they were a bit light on prior to joining – 40 kg on 12th March and 34kg (young ewe lambs born out of ewe lambs last year) we have had them rolling along quite well and appear to be putting on good condition every day. It will be very interesting to see how they scan and what they're performance will be when lambing commences in mid-August.


The recent rainfall events have been very timely and the grass is finally growing. The sheep are in good order and hopefully the season keeps giving us more without the gale force icy winds when we are at peak lambing. But we are in Kongorong, so we won't hold our breath! AI, Don & Catherine



Digby helping draft the stud ewes



Pre-lamb drenching & vaccination



Our commercial flock has commenced lambing

What's happening on the farm at Cashmore Park

Post spring and summer ram sales we moved into sorting stud ewes for structure, taking adult weights and culling on ASBVs and comments from the lambing records. This leaves us with a sound functional flock and some diverse genetics which are needed as we manage a population of animals, particularly so in the Nudies as we have few places to go for an outcross.

Sorting adult rams and further measurements on 2024 drop animals set us up for many possible matings which were made by natural, AI and ET, plus we did it all again in April with 3000 ewe lambs.

Adult ewes went to the ram in fair condition, albeit losing weight and ewe lambs were much lighter than industry recommendations.

Parasite loads have been low, due to the drier season and generally stock are in good health, albeit a little light. We have been feeding some barley but have not gone into containment.

Fodder crops outputs have been very variable, some outright failures but one 40 ha paddock finished 700 lambs, it just seemed to be stocked about right and maintained leaf cover even through dry times.

We managed to spray out the last of the brassicas and have direct sowed pasture mixes containing perennial rye, a little Phalaris and cocksfoot, plus white and sub clovers. Also including plantain and chicory which seems to be persisting well.

Am unsure what to do about the good stands of capeweed we have, do we clean it out or leave it as sheep feed.

Rain has come and we are green, but probably in the green drought stage. Pasture covers about 1000 kg / ha with bare ground evident.

Mid February saw us pregnancy test the Twinner Cattle with a high percentage in calf, very pleasing. Our twin rate is at 20% which I would like to lift and we have started discussions with AGBU on how we can get breeding values generated from our data for twinning. I am looking forward to this next stage with the Twinners as they are pretty good animals now and have the possibility of producing 20% more beef from the Herd.

Regards Johnno K



Twinners Bulls Spring 2024

Lower Methane Sheep

The continuing search for more efficient and environmentally adapted sheep has led us to supply 1000 ewes to a national project looking at reducing methane emissions. The project has developed a mobile, on farm field test with 84 ewes each day run through PACs, (portable accumulation chambers) and measured for CO₂ and CH₄ gas output. Along with weights and DNA, genomic information this data is entered into the Sheep Genetics data base to allow breeding value predictions. Post that will come the challenge of incorporating how much emphasis for low methane selection needs to go into our existing Maternal indexes. Indications are that we could reduce methane emission by about 1% per year while at the same time improving production efficiency and product quality. It seems likely that we will need to test some animals each year to keep the reference population topped up with information.

Dean, Greg and Jock did a great job on a major mob sort to find specific ewes, then kept them coming into the shed in a system down to the second. Timing is very important to data quality.

Al Donaldson and Pete Fitzgerald, UNE Armidale, NSW, spent 2 weeks at Cashmore Park processing 84 ewes a day.



Ewes in PACs



Ewes being released after a 20 minute & 40 minute gas measurement

SELF REPLACING RAM SALE



**HIGH ACCURACY ASBV'S
PERFORMANCE RECORDED
SINCE 1982**

**AUSTRALIA'S LARGEST
MATERNAL SEEDSTOCK FLOCK**



Scan to view our current
sales info on our website



15,000 SELF REPLACING EWE SALES (2000 NUDIES)

**THURSDAY 6TH NOVEMBER - 12 NOON
THURSDAY 4TH DECEMBER - 12 NOON
MULTI VENDOR / MULTI AGENT
ENTRIES NOW BEING ACCEPTED
CALL CATHERINE ON 0438 810 548**



AuctionsPlus

Buy and Sell stock nationally